

B2(19) World Intellectual Property Organization
International Bureau(43) International Publication Date
29 November 2001 (29.11.2001)**PCT**(10) International Publication Number
WO 01/90354 A1(51) International Patent Classification⁷: **C12N 15/12**,
15/85, 15/86, C07K 14/47, 16/18, C12Q 1/68, G01N
33/577, A61K 31/713, 38/18, A01K 67/027Molecular Medicine Unit, Clinical Sciences Building, St.
James's University Hospital, Leeds LS9 7TF (GB).(21) International Application Number: **PCT/GB01/02240**(74) Agent: **HARRISON GODDARD FOOTE**; Belgrave
Hall, Belgrave Street, Leeds LS2 8DD (GB).(22) International Filing Date: **21 May 2001 (21.05.2001)**(81) Designated States (*national*): AE, AG, AL, AM, AT, AU,
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU,
CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,
GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,
LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW,
MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK,
SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA,
ZW.(25) Filing Language: **English**(26) Publication Language: **English**(30) Priority Data:
0012186.3 **20 May 2000 (20.05.2000)** **GB**(71) Applicant (*for all designated States except US*): **UNIVER-**
SITY OF LEEDS [GB/GB]; Leeds LS2 9JT (GB).(84) Designated States (*regional*): ARIPO patent (GH, GM,
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian
patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European
patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE,
IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF,
CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

(72) Inventors; and

(75) Inventors/Applicants (*for US only*): **MARKHAM,**
Alexander, Fred [GB/GB]; Molecular Medicine Unit,
Clinical Sciences Building, St. James's University Hos-
pital, Leeds LS9 7TF (GB). **JACKSON, Andrew, Peter**
[GB/GB]; Molecular Medicine Unit, Clinical Sciences
Building, St. James's University Hospital, Leeds LS9
7TF (GB). **WOODS, Christopher, Geoffrey [GB/GB];****Published:**— *with international search report**For two-letter codes and other abbreviations, refer to the "Guid-*
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.(54) Title: **TREATMENT OF CANCER AND NEUROLOGICAL DISEASES**

(SEQ ID NO: 1)

5.5kb seq

(SEQ ID NO: 3)

5G3V2

(SEQ ID NO: 2)

5G3V1

(SEQ ID NO: 4)

5G3V3

(SEQ ID NO: 5)

5R3V2

(SEQ ID NO: 6)

5R23V2

(SEQ ID NO: 8)

5R2_AW

(SEQ ID NO: 7)

5R2_OC147(57) Abstract: The present invention relates to a nucleic acid molecule and the protein encoded thereby absence of which is asso-
ciated with oral and other cancers and lack of neurogenesis. The invention also provides antibodies and the use of these products as
therapeutic and/or diagnostic agents in gene therapy and/or tissue repair.**WO 01/90354 A1**

Treatment of Cancer and Neurological Diseases

The present invention relates to the isolation of a nucleic acid molecule and the protein encoded thereby; antibodies raised thereto and the use of these products as therapeutic and/or diagnostic agents particularly, but not exclusively, in gene therapy and/or tissue repair such as, without limitation enhancing neuronal repair/regeneration and in the treatment of cancer.

Background to the Invention

Oral cancer has significant morbidity and mortality rates. In England and Wales the 5-year survival is around 50%. Globally, oral cancer is one of most common cancers and in some parts of the world it is the most prevalent of all cancer types. For example, in India and Sri Lanka oral cancer accounts for up to 40% of all diagnosed cancers. In addition to geographic "hot spots", there seems to be a rising trend in the increased incidence of oral cancers in many developed nations.

Recent advances in cancer management have failed to impact significantly on the outcome of oral cancer. Surgery and radiotherapy remain the principle forms of treatment with a limited role for chemotherapy. Treatment can be mutilating and is associated with high morbidity that significantly impacts on the quality of life. Speech, swallowing and taste can be markedly impaired after treatment. New treatment modalities are required for oral cancer therapy.

Statement of the Invention

We have identified a gene, from human chromosome 8p23, which is deleted in oral cancer. The gene was found to have distant similarity to the gene encoding the protein "tolloid"; and contains multiple Sushi and CUB domains. We believe that this gene may have utility in diagnosis and gene therapy applications for oral and other cancers.

Moreover, and surprisingly, the gene from human chromosome 8p23 may also be implicated in aspects of the developmental regulation of neurogenesis. We base this belief on our observations that the gene has similarity with tolloid, an important developmental gene, and the fact that it is located in the autosomal recessive microcephaly locus, MCPH1, critical region. Sequence variations in this gene can segregate with microcephaly in some families. It therefore may have utility in the diagnosis and therapy of microcephaly, as well as therapies directed to neuronal repair and regeneration, including those utilising stem cells/neural progenitor cells. Having identified this gene we believe that a further use is in the production of transgenic animals. These may have an increased predisposition to oral cancer and/or have decreased or potentially increased neocortex. Such animals would be useful not only as models of oral cancer for the evaluation of novel therapeutics but also to improve understanding of neurological developmental abnormalities. They would also serve as models to test novel therapeutics for neuronal regeneration.

15

According to a first aspect of the present invention there is provided an isolated nucleic acid selected from the group consisting of:

- (a) DNA having the nucleotide sequence given herein as any one of SEQ ID NOS:1 TO 8;
- (b) nucleic acids which hybridize to DNA of (a) above (e.g., under stringent conditions);
- (c) nucleic acids having between 75-95% homology with any one of the nucleotide sequences given herein as SEQ ID NOS:1 to 8; and
- (d) nucleic acids which differ from the DNA of (a), (b) or (c) above due to the degeneracy of the genetic code.

25

DNAs of the present invention include those coding for proteins homologous to, and having essentially the same biological properties as, the proteins disclosed herein, and particularly the DNA disclosed herein as any one of SEQ ID NOS:1 to 8 and encoding the proteins given herein as SEQ ID NOS:9 to 16. This definition is intended to encompass natural allelic variations therein. Thus, isolated DNA or

30

cloned genes of the present invention can be of any species of origin, including mouse, rat, rabbit, cat, porcine, and human, but are preferably of mammalian origin. Thus, DNAs which hybridize to DNA disclosed herein as any one of SEQ ID NOS:1 to 8 (or fragments or derivatives thereof which serve as hybridization probes as discussed below) and which code on expression for a protein of the present invention (e.g., a protein according to any one of SEQ ID NOS: 9 to 16), i.e. the protein lack of which is associated with oral or other cancers and/or lack of neurogenesis of the present invention are to be included in the definition.

10 Conditions which will permit other DNAs which code on expression for a protein of the present invention to hybridize to the DNAs of SEQ ID NO:1 to 8 disclosed herein can be determined in accordance with known techniques. For example, hybridization of such sequences may be carried out under conditions of reduced stringency, medium stringency or even stringent conditions (e.g., conditions represented by a wash stringency of 35-40% Formamide with 5x Denhardt's solution, 0.5% SDS and 1x SSPE at 37°C; conditions represented by a wash stringency of 40-45% Formamide with 5x Denhardt's solution, 0.5% SDS, and 1x SSPE at 42°C; and conditions represented by a wash stringency of 50% Formamide with 5x Denhardt's solution, 0.5% SDS and 1x SSPE at 42°C, respectively) to DNAs of SEQ ID NO:1 to 8 disclosed herein in a standard hybridization assay. See, e.g., J. Sambrook et al., *Molecular Cloning, A Laboratory Manual* (2d Ed. 1989) (Cold Spring Harbor Laboratory). In general, sequences which code for proteins of the present invention and which hybridize to the DNAs of SEQ ID NO:1 to 8 disclosed herein will be at least preferably 75% homologous, 85% homologous, and even 95% homologous or more with SEQ ID NO:1 to 8. Further, DNAs which code for proteins of the present invention, or DNAs which hybridize to that given as any one of SEQ ID NOS:1 to 8, but which differ in codon sequence from SEQ ID NO:1 to 8 due to the degeneracy of the genetic code, are also an aspect of this invention. The degeneracy of the genetic code, which allows different nucleic acid sequences to code for the same protein or peptide, is well known in the literature. See, e.g., U.S. Patent No. 4,757,006 to Toole et al. at Col. 2, Table 1.

According to a yet further aspect of the invention there is provided a nucleic acid molecule which encodes a protein lack of which is associated with oral or other cancers and/or lack of neurogenesis and comprises a nucleotide sequence which hybridises to the nucleic acid of any one of SEQ ID NOS:1 to 8 under high stringency conditions.

Preferably, hybridisation occurs under stringent conditions such as 1 x SSC, 0.1% SDS at 65 °C.

10 Preferably, the nucleic acid is mammalian in origin, for example it may be human or murine.

Preferably, the nucleic acid of the present invention is at least 2kb and up to 12 kb and may be, for example 5.5kb. The nucleic acid being located on chromosome 15 8p23.

According to a yet further aspect of the invention there is provided use of the nucleic acid of the present invention, in determining loss of genomic material or loss of expression of mRNA in selected target tissue(s) for diagnosing oral or other cancers and/or neurological developmental abnormalities.

According to a yet further aspect of the invention there is provided use of the nucleic acids of the present invention, in determining the presence of mutants in the DNA and thus diagnosing patients suffering from oral or other cancers and/or neurological developmental abnormalities.

According to a further aspect of the invention there is provided a polypeptide, or a protein comprising an epitope for an antibody or a protein modified by one or more amino acid modifications and comprising an epitope, or a fragment modified or unmodified comprising an epitope for a protein lack of which is associated with oral

or other cancers and/or neurogenesis and encoded by SEQ ID NO:9 to 16. Ideally the polypeptide is encoded by the nucleic acid molecule of any one of SEQ ID NO:1 to 8.

According to a yet further aspect of the invention there is provided a polypeptide or protein encoded by the nucleic acids of the present invention, preferably the sequences of which are as set forth in SEQID NOS:9 to 16.

According to a yet further aspect of the invention there is provided a delivery vehicle comprising the isolated nucleic acid molecule or polypeptide or protein of the present invention or antibodies to these.

Reference herein to the term delivery vehicle is intended to include any vector whether a viral vector or otherwise for example, without limitation, an adenovirus, a retrovirus, a herpesvirus, a plasmid, a phage, a phagemid or a liposome.

Ideally said delivery vehicle is adapted for administration, for example, but without limitation, by suitable formulation into a suspension.

More preferably, said delivery vehicle is adapted to deliver said nucleic acid molecule or polypeptide to selected tissue. Thus the delivery vehicle is provided with means to facilitate its binding and/or penetration to a specific target site. The nature of the means comprises conventional technologies well known to those skilled in the art for example, without limitation, in the instance where the delivery vehicle is a viral vector said viral vector is provided with surface protein adapted to ensure the viral vector binds to and/or penetrates specific target tissues. Alternatively, gene expression of any one of SEQ ID NOS:1 to 8 may be under the control of a tissue specific promoter. Thus, in this way, the nucleic acid molecule or peptide, fragments or derivatives thereof of the invention can be used in gene therapy treatments.

According to a yet further aspect of the invention there is provided antibodies raised against the polypeptide, fragment or derivative thereof, of the invention. Ideally the antibodies are monoclonal and more ideally genetically engineered to be humanised. It will be apparent to those skilled in the art that the antibodies of the invention can be used to determine the expression of the polypeptide of the invention in selected target tissue and thus aid in the diagnosis of patients suffering from oral cancers and/or neurological disorders.

According to a yet further aspect of the invention there is provided use of antibodies, fragments or derivatives thereof in diagnosis/detection/identification of oral or other cancers and/or neurological disorders. It will be appreciated that the antibodies as well as the fragments or derivatives of the antibodies recognise the epitope and are capable of binding to the antigenic protein. Also useful are recombinant antibodies. The invention also includes antibodies and other compositions of matter which are specific binding partners of the polyamino acids of the present invention. Reference herein to polyamino acids is intended to include proteins and polypeptides.

The invention further provides for assays using the antibodies of the present invention to detect individuals suffering from or having a predisposition towards oral or other cancers and/or neurological disorders. The assays may employ labelling, for example radioactive labels, enzymes, fluorescent compounds, chemiluminescent compounds, bioluminescent compounds and metal chelates.

Typical assays include assays known to the skilled person for quantitative or non-quantitative detection of antibodies and all involve contacting antigenic polypeptides of the present invention with a sample. The assay may involve for example and without limitation any one or more of the following techniques, RIA, EIA, ELISA, sandwich assays.

According to a yet further aspect of the invention there is provided a method for the treatment of oral cancers and/or neurological disorders comprising administering to a

patient suffering from these conditions the nucleic acid molecule or polypeptide/protein of the present invention.

Preferably, the nucleic acid molecule and/or polypeptide/protein is administered by the incorporation of said nucleic acid molecule or polypeptide/protein into a delivery vehicle as herein described and ideally the method of treatment involves the use of gene therapy.

According to a yet further aspect of the invention there is the nucleic acid and/or protein, as herein before described for use as a pharmaceutical.

According to a yet further aspect of the invention there is provided use of the nucleic acid and/or protein of the present invention for the manufacture of a medicament for the treatment of oral or other cancers and/or neurological disorders.

According to a yet further aspect of the invention there is provided a method of producing a transgenic non-human animal comprising disrupting a gene, or the effective part thereof, the gene comprising the nucleic acid of the present invention and/or the protein or effective part thereof of the present invention.

Reference herein to disruption is intended to include complete or partial disruption of expression of the protein such that the transgenic animal is unable to express levels of the said protein that are typically found in normal individuals as compared with those suffering from oral cancer and/or neurological developmental abnormalities.

Preferably, the transgenic mammal is a rodent and ideally a mouse and more preferably the gene encoding the protein lack of which is associated with oral cancer and/or neurogenesis is the nucleic acid molecule or fragment or derivative thereof as set forth in any one of SEQ ID NOS:1 to 8.

According to a yet further aspect of the invention there is provided a transgenic non-human animal whose somatic and germ cells do not contain or express a gene encoding a nucleic acid, or a nucleic acid which hybridises under high stringency conditions to, the sequence as set forth in any one of SEQ ID NOS:1 to 8, the gene having been deleted, mutated or disrupted in the animal or an ancestor of the animal at an embryonic stage and wherein the gene may be operably linked to an inducible promoter element.

Preferably, the transgenic mammal is a rodent and ideally a mouse.

10

According to a yet further aspect of the invention there is provided a reporter gene construct based on the promoter region of the gene, or effective part thereof, encoded by any one of SEQ ID NOS:1 to 8 i.e. the nucleic acid of the present invention.

15 According to a yet further aspect of the invention there is provided use of a reporter gene construct based on the promoter region of a gene, or effective part thereof, encoded by any one of SEQ ID NOS:1 to 8 in the detection/screening of pharmaceuticals and/or other compounds.

20 According to a yet further aspect of the invention there is provided a method of determining the presence of or predisposition towards oral or other cancers and/or neurological developmental abnormalities comprising:

- (i) identifying the regions of said DNA sample that contain the nucleic acid according to the present invention;
 - 25 (ii) individually hybridising parallel samples of said DNAs with oligonucleotides specific for alleles of the gene encoding any one of said nucleic acids; and
 - (iii) identifying from among said DNA samples those with a loss of heterozygosity for said alleles, wherein identification of a DNA sample with a loss of heterozygosity indicates presence or a predisposition towards neurological developmental abnormalities.
- 30

Preferably, the DNA sample is obtained from a human patient, alternatively RNA samples may be obtained and used in the method.

Preferably, step (i) may involve amplification of the DNA regions, typically
5 amplification is by PCR.

Brief Description of the Figures

The invention will now be described by way of example only with reference to the
10 following Figures wherein:

Figure 1 represents haplotypes for nine markers from 8p22-pter, for families 1 and 2 segregating autosomal recessive microcephaly. Unaffected siblings from family 1 have been omitted, for clarity. Marker order and relative distances are presented here
15 as deduced from the Génethon map: D8S504-3cM-D8S1824-3cM-D8S1798-3cM-D8S277-2cM-D8S1819-5cM-D8S1825-13cM-D8S552-5cM-D8S1731-5cM-D8S261.

Figure 2 represents sequenced BAC's in this region from the human genome project.
20 Position of candidate gene sequences 5R-3V2 (SEQ ID NO:5) and 5G-3V2 (SEQ ID NO:3) shown in blue (numbering corresponding to base-pair position in sequence). Sequenced BACs shown in red. BAC clone contig of [Sun, 1999 #387] shown in black, and STSs derived from this contig shown mapped onto the sequenced BACs by the vertical dashed black lines

25 Figure 3 represents the relationship between SEQ ID NO:1 and the sequence variants of SEQ ID NOS:2 to 8 (not to scale).

SEQ ID NO:1 to 8 represent the nucleic acids of the present invention .

30 SEQ ID NOS: 9 to 16 represent the corresponding protein sequences.

Materials and Methods

Subjects and Methods

5 A family containing five individuals affected with primary autosomal recessive microcephaly was ascertained. The family originated from the Mirpur region of Pakistan (Fig. 1, family 1). According to the clinical histories, the family confirmed that microcephaly was present from birth in all affected individuals and that there was no history of epilepsy in affected individuals. On examination, head
10 circumferences were 5-9 SD below the population age-related mean. The affected individuals examined were 13-28 years old, and mental retardation ranged from mild to moderate in severity. None were able to read or write, but all could speak and had basic self-care skills. Except for microcephaly, there were no dysmorphic features. No affected individual had a sloping forehead, such as that described by Penrose
15 (Cowie 1960), examination did not reveal weakness, spasticity or athertosis. Computed tomography had been performed on one affected individual at 5 years of age and results were normal. No environmental causes of microcephaly were identified. All parents appeared to be of normal intelligence and had normal head circumferences.

20

A further eight multiply affected consanguineous families were ascertained, with a total of 23 affected individuals displaying primary microcephaly. All of these families also originated from the Mirpur region of Pakistan and had pedigrees consistent with autosomal recessive inheritance.

25

DNA Extraction and Microsatellite Analysis

DNA was extracted from peripheral blood lymphocytes by means of a standard nonorganic extraction procedure. The ABI Prism linkage mapping primer set was
30 used to perform a genomewide search. This panel contains 358 microsatellite repeat markers spaced at ~10-cM intervals, with an average heterozygosity of 0.81. PCR amplification of all the autosomal markers was performed according to the

manufacturer's specifications. Amplified markers were pooled and electrophoresed on the ABI Prism 377 gene sequencer with a 4.2% polyacrylamide gel at 3000 V and 52°C for 2 h. Fragment-length analysis was performed using the ABI Prism Genescan and Genotyper 1.1.1 analysis packages.

For fine mapping on 8p22-pter, D8S504 and D8S277 from the ABI Prism linkage set were used, and a further seven polymorphic markers from the Genome Database, were selected: tel-D8S1824-D8S1798-D8S1819-D8S1825-D8S552-D8S1731-D8S261-cen. PCR reactions were performed in 10- μ l volumes that contained 50 ng genomic DNA; 1 μ M primers; 250 μ M each dGTP, dCTP, dTTP, and dATP; 5 U *Taq* DNA polymerase; and 1 x reaction buffer (1.5-2.0 mM MgCl₂, 10mM Tris-HCl pH 9.0, 50mM KCl, and 0.1% Triton X-100). Amplification was performed with a 5-min initial denaturing step at 95°C; 35 cycles of 94°C for 30 s, 54°C-60°C for 30 s, and 72°C for 30 s; and a final incubation step at 72°C for 5 min.

Linkage Analysis

A fully penetrant autosomal recessive mode of inheritance was assumed, and the disease allele frequency was estimated at 1/300. Two-point analysis was performed by the LINKAGE analysis programs (Terwilliger and Ott 1994) and HOMOZ-MAPMAKER was used for multipoint analysis (Kruglyak et al. 1995). An allele frequency of 0.1 was used in the genome screen for all markers. For further analysis of the candidate region, marker allele frequencies were calculated by genotyping 34 unrelated individuals from the same ethnic population, with a lower limit for allele frequencies set at 0.1. Heterogeneity testing was performed with the HOMOG program (Morton 1955; Terwilliger and Ott 1994).

True Microcephaly was thus mapped to chromosome 8p23 (the MCPH1 locus) (Jackson, 1998) using homozygosity mapping to perform a genomewide search. Refinement of the locus was achieved using further fluorescently labelled primers to microsatellite markers in the region. The overlap between the homozygous regions

from family 1 and 2 (Figure 1) defined the minimal critical region within which the disease gene lies, between D8S1825 and D8S1824. SEQ ID NO 1 maps to this interval on the basis of radiation hybrid mapping data (Genemap 98, Figure 4). This is additionally confirmed from genomic sequence data (SEQ ID NOS: 1 and 9) derived for the gene, which maps the gene to fully sequenced BACs (Figure 2). These BACs map to the critical region by virtue of containing polymorphic markers mapping within the critical region.

Genetic Analysis of Oral Cancers

Samples of oral cancers were obtained with local Ethics Committee approval from patients undergoing resections of their tumours. DNA was extracted from 20 such tumours and from the corresponding matched normal tissues, by standard techniques well-known in the art, providing 20 pairs of matched normal and oral cancer DNA specimens. Analysis of these paired specimens for loss of particular genetic loci in the tumours, suggestive of the local presence of a tumour suppressor gene, was performed by use of the polymerase chain reaction. Analysis of known micro-satellite markers including D8S1806, D8S1824, D8S1781, D8S1788 and D8S262 (see Figure 2) among others, showed frequent loss of one or both alleles at these loci in the majority of the oral tumours. Loss of heterozygosity was particularly frequent at the genetic markers D8S1824, D8S1781 and D8S1788.

The same matched tumour and normal tissue pairs were then compared for alterations in the gene encoding SEQ ID NO:1. In several of these tumours, deletion of both copies of this gene i.e. loss of both alleles, was detected in tumour DNA while PCR products of the expected size were amplified using DNA from matched normal control tissue. In all other cases, the relative amount of PCR amplification product generated using a variety of PCR primer pairs selected within SEQ ID NOS:1 to 8, was markedly reduced in the tumour DNA compared with that generated from normal DNA. In cases where one copy of the gene encoding the SEQ ID NO:1 was apparently retained in tumour tissue, mutations were detected in the remaining DNA

such that the open reading frame encoding the protein of SEQ ID NOS:9 to 16 was disrupted. In every case studied, the change in SEQ ID NOS:1 to 8 resulted in the alteration of a codon encoding a normal amino acid to a mis-sense amino acid or termination codon. Thus in these cases, the oral cancer cells were unable to synthesise the protein of SEQ ID NOS:9 to 16; as a result either of deletion of both copies of the gene described in SEQ ID NOS:1 to 8 or as a result of deletion of one copy and truncating or mis-sense mutation in the residual second copy of the gene. This consistent loss of gene expression in tumours is entirely consistent with a role for the protein in SEQ ID NOS:9 to 16 as a tumour suppressor protein. It also supports the hypothesis that replacement of a functional gene by provision of the nucleic acid sequence described in SEQ ID NOS:1 to 8 would have therapeutic utility in the treatment of oral and other cancers demonstrating a similar pattern of loss of heterozygosity. Such patterns have been observed in the past for a number of other human malignancies including prostate cancer, breast cancer, ovarian cancer and colorectal cancer. Thus the nucleic acid of SEQ ID NOS:1 to 8 and/or the protein of SEQ ID NOS:9 to 16 may find equal utility in the treatment of these other common human cancers.

Accordingly the nucleic acid molecules and proteins encoded thereby of the present invention and products thereof, are of particular use in gene therapy and in identifying those suffering from or with a predisposition towards cancers, particularly oral cancers and neurological diseases.

References

1. Cowie V (1960). The genetics and sub-classification of microcephaly. *J Ment. Defic. Res.* 4:42-47.

2. Jackson AP, McHale DP, Campbell DA, Jafri H, Rashid Y, Mannan J, Karbani G, Corry P, Levene MI, Mueller RF, Markham AF, Lench NJ, Woods CG (1998). Primary autosomal recessive microcephaly (MCPH1) maps to chromosome 8p22-pter. *Am. J. Hum. Genet.* 63:541-546.

3. Morton NE (1955). The detection and estimation of linkage between the genes for elliptocytosis and the Rh blood type. *Am. J. Hum. Genet* 7:80-96.

4. Terwilliger JD, Ott J (1994). Handbook of human genetic linkage. The Johns Hopkins University Press, Baltimore.

5. Kruglyak L, Daly MJ and Lander ES (1995). Rapid multipart linkage analysis of recessive traits in nuclear families, including homozygosity mapping. *Am. J. Hum. Genet.* 56:519-527.

6. Sun PC, Schmidt AP, Pashima ME, Sunwoo JB and Schlmck SB (1999). Homozygous deletions define a region of 8p23.2 containing a putative tumour suppressor gene. *Genomics.* 62:184-188.

P32093wo

Claims

1. An isolated nucleic acid, the nucleic acid being selected from the group consisting of:
- 5 (a) DNAs having the nucleotide sequence given herein as any one of SEQ ID NOS:1 to 8;
 - (b) nucleic acids which hybridise to DNAs of (a) above under stringent conditions;
 - (c) nucleic acids having between 75-95% homology with any one of the
10 nucleotide sequences given herein as SEQ ID NOS:1 to 8; and
 - (d) nucleic acids which differ from the DNA of (a), (b) or (c) above due to the degeneracy of the genetic.
2. Nucleic acids according to claim 1 wherein the stringent conditions are 1 x
15 SSC, 0.1% SDS at 65 °C.
3. Nucleic acids according to claim 1 consisting essentially of any one of SEQ ID NOS:1 to 8.
- 20 4. Nucleic acids according to claim 1 which hybridise to any one of SEQ ID NOS:1 to 8.
5. Nucleic acids according to claim 1 having between 75-95% homology with any one of the nucleotide sequences given herein, as SEQ ID NOS:1 to 8.
- 25 6. Nucleic acids according to claim 1 which differ from the DNAs of any one of claims 3 to 5.
7. Use of a nucleic acid according to any preceding claim in determining loss of
30 genomic material or loss of expression of mRNA in sample.

8. Use according to claim 7 in detecting the presence of or predisposition towards oral or other cancers and/or neurological developmental abnormalities.
9. Use of a nucleic acid according to any one of claims 1 to 6 in determining the presence of mutants in DNA.
10. Use according to claim 9 in identification of patients suffering from oral or other cancers and/or neurological developmental abnormalities.
11. A polypeptide or a protein encoded by the nucleic acid molecules of any one of claims 1 to 6.
12. A delivery vehicle comprising any one of the isolated nucleic acid molecules of claims 1 to 6 or the polypeptides or proteins encoded thereby or antibodies to these polypeptides or proteins.
13. A delivery vehicle according to claim 12 comprising a viral vector selected from the group comprising an adenovirus, a retrovirus, a herpesvirus, a plasmid, a phage, a phagemid or a liposome
14. A delivery vehicle according to either claim 12 or 13 provided with surface protein adapted to facilitate binding and/or penetration to a specific target.
15. A pharmaceutical composition comprising a nucleic acid according to any one of claims 1 to 6, a polypeptide or protein according to claim 11 and/or the delivery vehicle of any one of claims 12 to 14 and a suitable excipient, diluent or carrier.
16. Antibodies which are specific binding partners of the polypeptide/protein of claim 11 or fragment or derivative thereof which are capable of binding to the antigenic part of the polypeptide/protein.

17. Antibodies according to claim 16 which are monoclonal and/or genetically engineered to be humanised.
18. Use of antibodies or antibody fragments according to either claim 16 or 17 in determining the presence or level of expression of the polypeptide or protein of claim 11.
19. Use of antibodies or antibody fragments according to either claim 16 or 17 or fragments or derivatives thereof in detecting the presence or absence of binding partners whose absence is indicative of oral or other cancers and/or neurological disorders.
20. A method for the treatment of oral cancers and/or neurological disorders comprising administering to a patient suffering from or predisposed to these conditions the nucleic acid molecule of any one of SEQ ID NOS:1 to 8 and/or the proteins encoded thereby.
21. A nucleic acid according to any one of claims 1 to 6 or polypeptide or protein of claim 11 or delivery vehicle of any one of claims 12 to 14 for use as a pharmaceutical.
22. A polyamino acid as set forth in any one of SEQ ID NOS: 9-16 for use as a pharmaceutical.
23. Use of the nucleic acids according to any one of claims 1 to 6, for the manufacture of a medicament for the treatment of oral or other cancers and/or neurological disorders.
24. A method of producing a transgenic non-human animal comprising disrupting a gene comprising the nucleic acid of any one of claims 1 to 6, or the effective part

thereof, the gene encoding a protein or effective part thereof lack of which is associated with oral or other cancers and/or lack of neurogenesis.

25. A method of producing a transgenic non-human animal comprising preventing expression of a protein or polypeptide of claim 11, or the effective part thereof, lack of expression of the protein being associated with oral or other cancers and/or lack of neurogenesis.

26. A transgenic non-human animal whose somatic and germ cells do not contain or express a gene encoding a nucleic acid according to any one of claims 1 to 6, the gene having been deleted, mutated or disrupted in the animal or an ancestor of the animal at an embryonic stage and wherein the gene may be operably linked to an inducible promoter element.

27. A transgenic non-human animal according to any one of claims 24 to 26 wherein the animal is a rodent.

28. A reporter gene construct based on the promoter region of the gene, or effective part thereof, comprising the nucleic acid of any one of claims 1 to 6.

29. Use of a reporter gene construct based on the promoter region of a gene, or effective part thereof, comprising the nucleic acid of any one of claims 1 to 6 in the detection/screening of pharmaceuticals and/or other compounds.

30. A method of determining the presence of or predisposition towards oral cancer comprising:

- (i) identifying regions of a DNA sample that contain the nucleic acid according to any one of claims 1 to 6;
- (ii) individually hybridising parallel samples of said DNAs with oligonucleotides specific for alleles of the gene encoding any one of said nucleic acids; and

- (iii) identifying from among said DNA samples those with a loss of heterozygosity for said alleles, wherein identification of a DNA sample with a loss of heterozygosity indicates presence or a predisposition towards oral cancer.

5

31. A modified method according to claim 30 wherein the sample comprises RNA.

32. A method of determining the presence of or predisposition towards neurological developmental abnormalities comprising:
- (i) identifying regions of a DNA sample that contain the nucleic acid according to any one of claims 1 to 6;
 - (ii) individually hybridising parallel samples of said DNAs with oligonucleotides specific for alleles of the gene encoding any one of said nucleic acids; and
 - (iii) identifying from among said DNA samples those with a loss of heterozygosity for said alleles, wherein identification of a DNA sample with a loss of heterozygosity indicates presence or a predisposition towards neurological developmental abnormalities.

10
15
20

33. A modified method according to claim 32 wherein the sample comprises RNA.

34. A kit comprising the nucleic acids of any one of claims 1 to 6 and a set of instructions for use thereof.

25

SEQ ID NO:1

5

cDNA sequence (partial) 5.5kb

10

15

20

25

30

35

40

45

50

55

60

ttttagggatggtatgaatttaatatatttttagtattacaatatattcttataaaaaagggtccaagtg
aaaaaggcgattgagttgaagtcaagaggaggtcaagatgctgcccagcaaggatGGAAGCCATAAAAA
CTCTGTCTGGCATATGGAATAACATCAACCATGTGACATCCGAAGAAGATACGTTCAATTATGTATCTG
GGAAAACCATGGCTTCAAGTGAAAATTCAAGTGAGCCAAGGAGGTGTTGCATTGGTCTCTGACATGTG
TCCAGATCCTGGGATTCCAGAAAATGGTAGAAGAGCAGGTTCGACTTCAGGGTTGGTGCAAATGTAC
AGTTTTTCATGTGAGGACAATTACGTGCTCCAGGGATCTAAAAGCATCACCTGTCAGAGAGTTACAGAG
ACGCTCGCTGCTTGGAGTGACCACAGGCCATCTGCCAGCGAGAACATGTGGATCCAATCTGCGTGG
GCCAGCGGCGTCATTACCTCCCCTAATTATCCGGTTCAGTATGAAGATAATGCACACTGTGTGTGGG
TCATCACCACCACCGACCCGGACAAGGTATCAAGCTTGCCTTTGAAGAGTTTGAGCTGGAGCGAGGC
TATGACACCCTGACGGTTGGTGATGCTGGGAAGGTGGGAGACACCAGATCGGTCTTGACGTGCTCAC
GGGATCCAGTGTTTCTGACCTCATTGTGAGCATGAGCAACCAGATGTGGCTACATCTGCAGTCGGATG
ATAGCATTTGGCTCACCTGGGTTTAAAGCTGTTTACCAAGAAATTGAAAAGGGAGGGTGTGGGGATCCT
GGAATCCCCGCTATGGGAAGCGGACGGGACGAGTTCCTCCATGGAGATACACTCACCTTTGAATG
CCCCGCGGCGCTTTGAGCTGGTGGGGGAGAGAGTTATCACCTGTCAGCAGAACAATCAGTGGTCTGGCA
ACAAGCCCAGCTGTGTATTTTCATGTTTCTTCACTTTACGGCATCATCTGGGATTATTCTGTACCA
AATTATCCAGAGGAATATGGGAACAACATGAAGTGTGCTGGTTGATTATCTCGGAGCCAGGAAGTCG
AATTCACCTAATCTTTAATGATTTTGATGTTGAGCCTCAATTTGACTTTCTCGCGGTCAAGGATGATG
GCATTTCTGACATAACTGTCTGGGTACTTTTTCTGGCAATGAAGTGCCTTCCAGCTGGCCAGCAGT
GGGCATATAGTTTCGCTTGGAAATTTTCAGTCTGACCATTCCTACTGTCAGAGGGTTCAACATCACTTA
CACCACATTTGGTCAGAATGAGTGCCATGATCCTGGCATTCTATAAACGGACGACGTTTTTGGTGACA
GGTTTCTACTCGGGAGCTCGGTTTCTTTCCACTGTGATGATGGCTTTGTCAAGACCCAGGGATCCGAG
TCCATTACCTGCATACTGCAAGACGGGAACGTGGTCTGGAGCTCCACCGTGCCCCGCTGTGAAGCTCC
ATGTGGTGGACATCTGACAGCGTCCAGCGGAGTCATTTGCCTCCTGGATGGCCAGGATATTATAAGG
ATCTTTTACATTGTGAATGGATAAATGAAGCAAAACAGGCCACTCTATCAAATAACTTTTGACAGA
TTTCAGACAGAGGTCAATTATGACACCTTGGAGGTGAGAGATGGGCCAGCCAGTTCGTCCCCACTGAT
CGGCGAGTACCACGGCACCCAGGCACCCAGTTCCTCATCAGCACCGGGAACCTTCATGTACCTGCTAT
TCACCACTGACAACAGCCGCTCCAGCATCGGCTTCTCATCCACTATGAGAGTGTGACGCTTGAGTCG
GATTCCTGCCTGGACCCGGGCATCCCTGTGAACGGCCATCGCCACGGTGGAGACTTTGGCATCAGGTC
CACAGTGACTTTTCAGCTGTGACCCGGGTACACACTAAGTGACGACGAGCCCTCGTCTGTGAGAGGA
ACCACAGTGGGAACACGCTTGGCCAGCTGCGACGCTCTATGTGGAGGCTACATCAAAGGAAGAGT
GGAACAGTCCCTTTCTCCTGGGTTTCCAGATTTTATCCAAACTCTCTAAACTGCACGTGGACCATTGA
AGTGTCTCATGGGAAGGAGTTCAAATGATCTTTCACACCTTTCATCTTGAGAGTTCCACGACTATT
TACTGATCACAGAGGATGGAAGTTTTTCCGAGCCGTTGCCAGGCTCACCGGGTGGTGTGCTCAT
ACGATCAAGGCAGGCCTGTTTGGAACTTCACTGCCAGCTTCGGTTTATATCAGACTTCTCAATTTT
GTACGAGGGCTTCAATATCACATTTTCAAGATATGACCTGGAGCCATGTGATGATCTGGAGCCCTG
CCTTCAGCCGAAGAATTGGTTTTCACTTTGGTGTGGGAGACTCTCTGACGTTTTCTGCTTCTCGGGA
TATCGTTTTAGAAGGTGCCACCAAGCTTACCTGCCTGGGTGGGGGCCCGCTGTGTGGAGTGACCTCT
GCCAAGGTGTGTGGCCGAATGTGGAGCAAGTGTCAAAGGAAATGAAGGAACATTACTGTCTCCAAATT
TTCCATCCAATTATGATAATAACCATGAGTGTATCTATAAAATAGAAACAGAAGCCGGCAAGGGCATC
CACCTTAGAACACGAAGCTTCCAGCTGTTTGAAGGAGATACTCTAAAGGTATATGATGGAAAAGACAG
TTCCTCACGTCCACTGGGCACGTTCACTAAAAATGAAGTCTGGGGCTGATCCTAAACAGCACATCCA
ATCACCTGTGGCTAGAGTTCAACACCAATGGATCTGACACCGACCAAGGTTTTCAACTACCTATAACC
AGTTTTGATCTGGTAAATGTGAGGATCCGGGCATCCCTAACTACGGCTATAGGATCCGTGATGAAGG
CCACTTTACCGACACTGTAGTTCTGTACAGTTGCAACCCGGGTACGCCATGCATGGCAGCAACACCC
TGACCTGTTTGTAGTGGAGACAGGAGAGTGTGGGACAAACCACTACCTTCGTGCATAGCGGAATGTGGT
GGTCAGATCCATGCAGCCACATCAGGACGAATATTGTCCTTGGCTATCCAGCTCCGTATGACAACAA
CCTCCACTGCACCTGGATTATAGAGGCAGACCCAGGAAAGACCATTAGCCTCCATTTTCATTGTTTTCG
ACACGGAGATGGCTCAGACATCTCAAGGTCTGGGACGGGCGGTGGACAGTGACATCCTGCTGAAG
GAGTGGAGTGGCTCCGCCCTTCCGGAGGACATCCACAGCACCTTCACTCACTCACCTGCAGTTCGA
CAGCGACTTCTTCATCAGCAAGTCTGGCTTCTCCATCCAGTTCCTCACCTCAATTGCAGCCACCTGTA
ACGATCCAGGTATGCCCCAAATGGCACCCGCTATGGAGACAGCAGAGAGGCTGGAGACACCGTCACA
TTCCAGTGTGACCCTGGCTATCAGCTCCAAGGACAAGCCAAATCACCTGTGTGACGTGAATAACCG
GTTCTTTTGGCAACCAGACCCCTCTACATGCATAGTCTTGTGGAGGGAATCTGACGGGCCAGCAG
GTGTTATTTTGTACCCCACTACCCACAGCGTATCTCTGCGGAAGGAATGTGACTGGAGAGTAAAA
GTGAACCCGGACTTTGTATCGCTTGTATTTCAAAGTTTCAACATGGAGCCAGCTATGACTTCCT

ACACATCTATGAAGGGGAAGATTCCAACAGCCCCCTCATTGGGAGTTACCAGGGCTCTCAGGCCCCAG
AAAGAATAGAGAGTAGCGGAAACAGCCTGTTTCTGGCATTTCGGAGTGATGCCTCCGTGGGCCTTTCA
GGGTTTCGCCATTGAATTTAAAGAGAAACCACGGGAAGCTTGTTTTGACCCAGGAAATATAATGAATGG
5 GÁCAAGAGTTGGAACAGACTTCAAGCTTGGCTCCACCATCACCTACCAGTGTGACTCTGGCTATAAGA
TTCTTGACCCCTCATCCATCACCTGTGTGATTGGGGCTGATGGGAAACCTCCTGGGACCAAGTGCTG
CCCTCCTGCAATGCTCCCTGTGGAGGCCAGTACACGGGATCAGAAGGGGTAGTTTTATCACCAACTA
CCCCATAATTACACAGCTGGTCAAATATGCCTCTATTCCATCACGGTACCAAAGGAATTTCGTGGTCT
TTGGACAGTTTGCTTATTTCCAGACAGCCCTGAATGATTTGGCAGAATTATTTGATGGAACCCATGCA
CAGGCCAGACTTCTCAGCTCACTCTCGGGGTCTCACTCAGGGGAAACATTGCCCTTGGCTACGTCAA
10 TCAAATTCTGCTCCGATTCACTGCAAGAGCGGTGCCTCTGCCCCGCGGCTTCCACTTCGTGTATCAAG
CTGTTCCCTCGTACCAGTGACACCCAATGCAGCTCTGTCCCCGAGCCCAGATACGGAAGGAGAATTGGT
TCTGAGTTTTCTGCCGGCTCCATCGTCCGATTTCGAGTGCAACCCGGGATACCTGCTTCAGGGTTCCAC
GGCGCTCCACTGCCAGTCCGTGCCCAACGCCTTGGCACAGTGGAAACGACACGATCCCCAGCTGTGTGG
TACCCTGCAGTGGCAATTTCACTCAACGAAGAGGTACAATCCTGTCCCCCGGCTACCTGAGCCATAC
15 GGAAACAACCTTGAAGTGTATATGGAAGATCATAGTTACGGAGGGCTCGGGAATTTCAGATCCAAGTGAT
CAGTTTTGCCACGGAGCAGAAGTGGGACTCCCTTGAGATCCACGATGGTGGGGATGTGACCGCACCCA
GACTGGGAAGCTTCTCAGGCACCACAGTACCGGCACTGCTGAACAGTACTTCCAACCAACTCTACCTG
CATTTCCAGTCTGACATTAGTGTGGCAGCTGCTGGTTTTCCACCTGGAATACAAAACCTGTAGGTCTTGC
TGCATGCCAAGAACCAGCCCTCCCCAGCAACAGCATCAAAATCGGAGATCGGTACATGGTGAACGACG
20 TGCTCTCCTTCCAGTGCGAGCCCGGGTACACCCTGCAGGGCCGTTCACCATTTCTGTATGCCAGGG
ACCGTTTCGCCGTTGGAACTATCCGTCTCCCCTGTGCATTGCAACCTGTGGAGGGACGCTGAGCACCTT
GGGTGGTGTGATCCTGAGCCCCGGCTTCCCAGGTTCTTACCCCAACAACCTAGACTGCACCTGGAGGA
TCTCATTACCCATCGGCTATGGTGACATATTCAGTTTCTGAATTTTTCTACCGAAGCTAATCATGAC
TTCTTTGAAATTCAAAATGGACCTTACCACACCAGCCCCATGATTGGACAATTTAGCGGCACGGATCT
25 CCCCCGCGCCCTGCTGAGCACAACGCATGAAACCCTCATCCACTTTTATAGTGACCATTTCGCAAAACC
GGCAAGGATTTAAACTTGCTTACCAAGCCTATGAATTACAGAACTGTCCAGATCCACCCCCATTTTCAG
AATGGGTACATGATCAACTCGGATTACAGCGTGGGGCAATCAGTATCTTTCGAGTGTTATCCTGGGTA
CATTCTAATAGGCCATCCTCCG

SEQ ID NO:2

5G-3V1 Nucleotide sequence 6145 bp

```

1   TTTTAGGGAT GGTATGAATT TAATATTTTT TAGTATTACA ATATATTCTT
51  ATAAAAAAGG TCCAAGTGAA AAAGGCGATT GAGTTGAAGT CAAGAGGAGT
5   101  CAAGATGCTG CCCAGCAAGG ATGGAAGCCA TAAAAACTCT GTCTGGCATA
151  TGGATAACA TCAACCATGT GACATCCGAA GAAGATACGT TCATTATGTA
201  TCTGGGAAAA CCATGGCTTC AAGTGAAAAT TCAAGTGAGC CAAGGAGGTG
251  TTGCATTGGT CTCTGACATG TGTCCAGATC CTGGGATTCC AGAAAATGGT
301  AGAAGAGCAG GTTCCGACTT CAGGGTTGGT GCAAATGTAC AGTTTTTCATG
10  351  TGAGGACAAT TACGTGCTCC AGGGATCTAA AAGCATCACC TGTCAGAGAG
401  TTACAGAGAC GCTCGCTGCT TGGAGTGACC ACAGGCCCAT CTGCCGAGCG
451  AGAACATGTG GATCCAATCT GCGTGGGCCC AGCGGCGTCA TTACCTCCCC
501  TAATTATCCG GTTCAGTATG AAGATAATGC ACACTGTGTG TGGGTTCATCA
551  CCACCACCGA CCCGGACAAG GTCATCAAGC TTGCCTTNGA AGAGTTTGAG
15  601  CTGGAGCGAG GCTATGACAC CCTNACGGTT GGTGATGCTG GGAAGGTGGG
651  AGACACCAGA TCGGTCTTGT ANGTGCTCAC GGGATCCAGT GTTCTTGACC
701  TCATTGTGAG CATGAGCAAC CAGATGTGGC TACATCTGCA GTCGGATGAT
751  AGCATTGGCT CACCTGGGTT TAAAGCTGTT TACCAAGAAA TTGAAAAGGG
801  AGGGTGTGGG GATCCTGGAA TCCCCGCCA TGGGAAGCGG ACGGGCAGCA
20  851  GTTCTCTCCA TGGAGATACA CTCACCTTTG AATGCCCGGC GGCCTTTGAG
901  CTGGTGGGGG AGAGAGTTAT CACCTGTCAG CAGAACAATC AGTGGTCTGG
951  CAACAAGCCC AGCTGTGTAT TTTCATGTTT CTTCAACTTT ACGGCATCAT
1001 CTGGGATTAT TCTGTACCA AATTATCCAG AGGAATATGG GAACAACATG
1051 AACTGTGTCT GGTTGATTAT CTCGGAGCCA GGAAGTCGAA TTCACCTAAT
25  1101 CTTAATGAT TTTGATGTTG AGCCTCAATT TGACTTTCTC GCGGTCAAGG
1151 ATGATGGCAT TTCTGACATA ACTGTCTGG GTACTTTTTT TGGCAATGAA
1201 GTGCCCTCCC AGCTGGCCAG CAGTGGGCAT ATAGTTCGCT TGGAAATTTCA
1251 GTCTGACCAT TCCACTACTG GCAGAGGGTT CAACATCACT TACACCACAT
1301 TTGGTCAGAA TGAGTGCCAT GATCCTGGCA TTCCTATAAA CGGACGACGT
30  1351 TTTGGTGACA GGTTTCTACT CGGGAGCTCG GTTCTTTTCC ACTGTGATGA
1401 TGGCTTTGTC AAGACCCAGG GATCCGAGTC CATTACCTGC ATACTGCAAG
1451 ACGGGAACGT GGTCTGGAGC TCCACCGTGC CCCGCTGTGA AGCTCCATGT
1501 GGTGGACATC TGACAGCGTC CAGCGGAGTC ATTTTGCCTC CTGGATGGCC
1551 AGGATATTAT AAGGATTCTT TACATTGTGA ATGGATAATT GAAGCAAAAC
35  1601 CAGGCCACTC TATCAAATA ACTTTTGACA GATTTTCAGC AGAGGTCAAT
1651 TATGACACCT TGGAGGTCAG AGATGGGCCA GCCAGTTCGT CCCCCTGAT
1701 CGGCGAGTAC CACGGCACCC AGGCACCCCA GTTCCTCATC AGCACCGGA
1751 ACTTCATGTA CCTGCTATTG AGCACTGACA ACAGCCGCTC CAGCATCGGC
1801 TTCTTCATCC ACTATGAGAG TGTGACGCTT GAGTCGGATT CCTGCCTGGA
40  1851 CCCGGGCATC CCTGTGAACG GCCATCGCCA CGGTGGAGAC TTTGGCATCA
1901 GGTCCACAGT GACTTTCAGC TGTGACCCGG GGTACACACT AAGTGACGAC
1951 GAGCCCCCTCG TCTGTGAGAG GAACCACCAG TGGAAACCAG CTTGCCCCAG
2001 CTGCGACGCT CTATGTGGAG GCTACATCCA AGGGAAGAGT AGGACAGTCC
2051 TTCTCCTGG GTTTCAGAT TTTTATCCAA ACTCTCTAAA CTGCACGTGG
45  2101 ACCATTGAAG TGTCTCATGG GAAAGGAGTT CAAATGATCT TTCACACCTT
2151 TCATCTTGAG AGTTCCACG ACTATTTACT GATCACAGAG GATGGAAGTT
2201 TTTCCGAGCC CGTTGCCAGG CTCACCGGGT CGGTGTTGCC TCATACGATC
2251 AAGGCAGGCC TGTTNGGAAA CTTCACTGCC CAGCTTCGGT TTATATCAGA
2301 CTTCTCAATT TCGTACGAGG GCTTCAATAT CACATTTTCA GAATATGACC
50  2351 TGGAGCCATG TGATGATCCT GGAGTCCCTG CCTTCAGCCG AAGAATTGGT
2401 TTTCACTTTG GTGTGGGAGA CTCTCTGACG TTTTCTGTCT TCCTGGGATA
2451 TCGTTTAGAA GGTGCCACCA AGCTTACCTG CCTGGGTGGG GGCCGCCGTG
2501 TGTGGAGTGC ACCTCTGCCA AGGTGTGTGG CCGAATGTGG AGCAAGTGTC
2551 AAAGGAAATG AAGGAACATT ACTGTCTCCA AATTTTCCAT CCAATTATGA
55  2601 TAATAACCAT GAGTGTATCT ATAAAATAGA AACAGAAGCC GGCAAGGGCA
2651 TCCACCTTAG AACACGAAGC TTCCAGCTGT TTGAAGGAGA TACTCTAAAG
2701 GTATATGATG GAAAAGACAG TTCTCACGTT CCACTGGGCA CGTTCATAA
2751 AAATGAACCT CTGGGGCTGA TCCTAAACAG CACATCCAAT CACCTGTGGC
2801 TAGAGTTCAA CACCAATGGA TCTGACACCG ACCAAGGTTT TCAACTCACC
60  2851 TATACCAGTT TTGATCTGGT AAAATGTGAG GATCCGGGCA TCCCTAATA
2901 CGGCTATAGG ATCCGTGATG AAGGCCACTT TACCGACACT GTACTCTGT
2951 ACAGTTGCAA CCCGGGGTAC GGCATGCATG GCAGCAACAC CCTGACCTGT
3001 TTGAGTGGAG ACAGGAGAGT GTGGGACAAA CCACTACCTT CGTGCATAGC

```

	3051	GGAATGTGGT	GGTCAGATCC	ATGCAGCCAC	ATCAGGACGA	ATATTGTCCC
	3101	CTGGCTATCC	AGCTCCGTAT	GACAACAACC	TCCACTGCAC	CTGGATTATA
	3151	GAGGCAGACC	CAGGAAAGAC	CATTAGCCTC	CATTTTCATTG	TTTTTCGACAC
5	3201	GGAGATGGCT	CACGACATCC	TCAAGGTCTG	GGACGGGCGG	GTGGACAGTG
	3251	ACATCCTGCT	GAAGGAGTGG	AGTGGCTCCG	CCCTTCCGGA	GGACATCCAC
	3301	AGCACCTTCA	ACTCACTCAC	CCTGCAGTTC	GACAGCGACT	TCTTCATCAG
	3351	CAAGTCTGGC	TTCTCCATCC	AGTTCTCCAC	CTCAATTGCA	GCCACCTGTA
	3401	ACGATCCAGG	TATGCCCCAA	AATGGCACCC	GCTATGGAGA	CAGCAGAGAG
10	3451	GCTGGAGACA	CCGTACACATT	CCAGTGTGAC	CCTGGCTATC	AGCTCCAAGG
	3501	ACAAGCCAAA	ATCACCTGTG	TGCAGCTGAA	TAACCGGTTT	TTTTGGCAAC
	3551	CAGACCCTCC	TACATGCATA	GCTGCTTGTTG	GAGGGAATCT	GACGGGCCCA
	3601	GCAGGTGTTA	TTTTGTCCACC	CAACTACCCA	CAGCCGTATC	CTCCTGGGAA
	3651	GGAATGTGAC	TGGAGAGTAA	AAGTGAACCC	GGACTTTGTC	ATCGCCTTGA
	3701	TATTCAAAAG	TTTCAACATG	GAGCCCAGCT	ATGACTTCCT	ACACATCTAT
15	3751	GAAGGGGAAG	ATTCCAACAG	CCCCCTCAT	GGGAGTTACC	AGGGCTCTCA
	3801	GGCCCCAGAA	AGAATAGAGA	GTAGCGGAAA	CAGCCTGTTT	CTGGCATTTT
	3851	GGAGTGATGC	CTCCGTGGGC	CTTTCAGGGT	TCGCCATTGA	ATTTAAAGAG
	3901	AAACCACGGG	AAGCTTGTTT	TGACCCAGGA	AATATAATGA	ATGGGACAAG
	3951	AGTTGGAACA	GACTTCAAGC	TTGGCTCCAC	CATCACCTAC	CAGTGTGACT
20	4001	CTGGCTATAA	GATTCTTGAC	CCCTCATCCA	TCACCTGTGT	GATTGGGGCT
	4051	GATGGGAAAC	CCTCCTGGGA	CCAAGTGCTG	CCCTCCTGCA	ATGCTCCCTG
	4101	TGGAGGCCAG	TACACGGGAT	CAGAAGGGGT	AGTTTATCA	CCAACTACC
	4151	CCCATAAATTA	CACAGCTGGT	CAAAATATGCC	TCTATTCCAT	CACGGTACCA
	4201	AAGGAATTCG	TGGTCTTTGG	ACAGTTTGCC	TATTTCCAGA	CAGCCCTGAA
25	4251	TGATTTGGCA	GAATTATTTG	ATGGAACCCA	TGCACAGGCC	AGACTTCTCA
	4301	GCTCACTCTC	GGGGTCTCAC	TCAGGGGAAA	CATTGCCCTT	GGCTACGTCA
	4351	AATCAAATTC	TGCTCCGATT	CAGTGCAAAG	AGCGGTGCCT	CTGCCCCGGG
	4401	CTTCCACTTC	GTGTATCAAG	CTGTTCTCTG	TACCAATGAC	ACCAATGCA
	4451	GCTCTGTCCC	CGAGCCCAGA	TACGGAAGGA	GAATTGGTTC	TGAGTTTTCT
30	4501	GCCGGCTCCA	TCGTCCGATT	CGAGTGCAAC	CCGGGATACC	TGCTTCAGGG
	4551	TTCCACGGCG	CTCCACTGCC	AGTCCGTGCC	CAACGCCTTG	GCACAGTGGA
	4601	ACGACACGAT	CCCCAGCTGT	GTGGTACCCT	GCAGTGGCAA	TTTCACTCAA
	4651	CGAAGAGGTA	CAATCCTGTC	CCCCGGCTAC	CCTGAGCCAT	ACGGAAACAA
	4701	CTTGAAGTGT	ATATGGAAGA	CATAGTTTAC	GGAGGGCTCG	GCAATTTCAGA
35	4751	TCCAAGTGAT	CAGTTTTGCC	ACGGAGCAGA	ACTGGGACTC	CCTTGAGATC
	4801	CACGATGGTG	GGGATGTGAC	CGCACCCAGA	CTGGGAAGCT	TCTCAGGCAC
	4851	CACAGTACCG	GCACTGCTGA	ACAGTACTTC	CAACCAACTC	TACCTGCATT
	4901	TCCAGTCTGA	CATTAGTGTG	GCAGCTGCTG	GTTTCCACCT	GGAATACAAA
	4951	ACTGTAGGTC	TTGCTGCATG	CCAAGAACCA	GCCCTCCCCA	GCAACAGCAT
40	5001	CAAAATCGGA	GATCGGTACA	TGGTGAACGA	CGTGCTCTCC	TTCCAGTGCG
	5051	AGCCCCGGGT	CACCCTGCAG	GGCCGTTCCC	ACATTTCTCTG	TATGCCAGGG
	5101	ACCGTTCCGC	GTTGGAACCT	TCCGTCTCCC	CTGTGCATTG	CAACCTGTGG
	5151	AGGGACGCTG	AGCACCTTGG	GTGGTGTGAT	CCTGAGCCCC	GGCTTCCCAG
	5201	GTTCTTACCC	CAACAACCTA	GACTGCACCT	GGAGGATCTC	ATTACCCATC
45	5251	GGCTATGGTG	CACATATTCA	GTTTCTGAAT	TTTTCTACCG	AAGCTAATCA
	5301	TGACTTCCTT	GAAATTCAAA	ATGGACCTTA	CCACACCAGC	CCCATGATTG
	5351	GACAATTTAG	CGGCACGGAT	CTCCCCGCGG	CCCTGCTGAG	CACAACGCAT
	5401	GAAACCCTCA	TCCACTTTTA	TAGTGACCAT	TCGCAAAACC	GGCAAGGATT
	5451	TAAACTTGCT	TACCAAGNTA	TGGAACAACA	ACGAGAACCG	AAACCCAAAT
50	5501	CTAAATACAC	TTCTTACATG	TAAATTGTAT	TTAAGTATAA	ATCTCCCTAA
	5551	CTGGTTCCAA	GCTTGTACGA	GTGGAATAAT	TTTTTGGTGG	AATGTTGGTT
	5601	TCTGGTTAGT	AGTGGAACAC	TTGTTGTTTT	TGAAAACAGA	GGTAAGGACA
	5651	CAGACGGAAC	CACCAGTGGG	TTCGCCTTTT	CTGCTGCCCC	GACAGAGCCG
	5701	ATTTATCAAG	ACGGGAATTG	CAATGGAGAA	AGAGTAATTC	ACGCAGAGCC
55	5751	AGATGTGTGG	GAGACCGGAG	TTTTATTGTG	ACTCAATTCA	GTCTCCCCAG
	5801	CATTACAGGA	TTCAAGTTTT	TAAAGATAAT	TTGGCGGCCG	GGCGCGGTGG
	5851	CTCACGCCTG	TAATCCCAGC	ACTTTGGAAG	GCCGAGGCGG	GCGGATCAGC
	5901	ATCGCAGGAG	ATCGAGACCA	TCTGTGGCTAA	CACGGTGAAA	CCCGTCTCT
	5951	ACTAAAAATA	CCAAAAATTA	GCCGGGCATA	GTGGCGGGCG	CCTGTAGTCC
60	6001	CAGCTACTCG	GGAGGCTGAG	GCAGGANAGT	GGCGTGAACC	CGGGAGGCGG
	6051	AGCTTGCACT	GAGGAGAGAT	CGCGCCACTG	CACTCCAGCC	TGGGCGACAG
	6101	AGCCAGACTC	CATCTCGAAA	AAAAAAAAAA	AAAAAAAAAA	AAAAA

SEQ ID NO:3

5G-3V2 Nucleotide sequence 6409 bp

```

1   TTTTAGGGAT GGTATGAATT TAATATTTTT TAGTATTACA ATATATTCTT
5   51  ATAAAAAAGG TCCAAGTGAA AAAGGCGATT GAGTTGAAGT CAAGAGGAGT
101  CAAGATGCTG CCCAGCAAGG ATGGAAGCCA TAAAACTCT. GTCTGGCATA
151  TGGAAATAACA TCAACCATGT GACATCCGAA GAAGATACGT TCATTATGTA
201  TCTGGGAAAA CCATGGCTTC AAGTGAAAAT TCAAGTGAGC CAAGGAGGTG
251  TTGCATTGGT CTCTGACATG TGTCCAGATC CTGGGATTCC AGAAAATGGT
10  301  AGAAGAGCAG GTTCCGACTT CAGGGTTGGT GCAAATGTAC AGTTTTCATG
351  TGAGGACAAT TACGTGCTCC AGGGATCTAA AAGCATCACC TGTCAGAGAG
401  TTACAGAGAC GCTCGCTGCT TGGAGTGACC ACAGGCCCAT CTGCCGAGCG
451  AGAACATGTG GATCCAATCT GCGTGGGCCC AGCGGCGTCA TTACCTCCCC
501  TAATTATCCG GTTCAGTATG AAGATAATGC ACACTGTGTG TGGGTTCATCA
15  551  CCACCACCGA CCCGGACAAG GTCATCAAGC TTGCCTTNGA AGAGTTTGAG
601  CTGGAGCGAG GCTATGACAC CCTNACGGTT GGTGATGCTG GGAAGGTGGG
651  AGACACCAGA TCGGTCTTGT ANGTGCTCAC GGGATCCAGT GTTCTGACC
701  TCATTGTGAG CATGAGCAAC CAGATGTGGC TACATCTGCA GTCGGATGAT
751  AGCATTGGCT CACCTGGGTT TAAAGCTGTT TACCAAGAAA TTGAAAAGGG
20  801  AGGGTGTGGG GATCCTGGAA TCCCCGCTA TGGGAAGCGG ACGGGCAGCA
851  GTTTCCTCCA TGGAGATACA CTCACCTTTG AATGCCCCGGC GGCCTTTGAG
901  CTGGTGGGGG AGAGAGTTAT CACCTGTCAG CAGAACAAATC AGTGGTCTGG
951  CAACAAGCCC AGCTGTGTAT TTTCATGTTT CTTCAACTTT ACGGCATCAT
1001 CTGGGATTAT TCTGTACCA AATTATCCAG AGGAATATGG GAACAACATG
25  1051 AACTGTGTCT GGTTGATTAT CTCGGAGCCA GGAAGTCGAA TTCACCTAAT
1101 CTTTAATGAT TTTGATGTTG AGCCTCAATT TGACTTTCTC CCGGTCAAGG
1151 ATGATGGCAT TTCTGACATA ACTGTCCTGG GTACTTTTTT TGGCAATGAA
1201 GTGCCTTCCC AGCTGGCCAG CAGTGGGCAT ATAGTTCGCT TGGAAATTTCA
1251 GTCTGACCAT TCCACTACTG GCAGAGGGTT CAACATCACT TACACCACAT
30  1301 TTGGTCAGAA TGAGTGCCAT GATCCTGGCA TTCTATAAAA CGGACGACGT
1351 TTTGGTGACA GGTTTCTACT CGGGAGCTCG GTTCTTTTCC ACTGTGATGA
1401 TGGCTTTGTC AAGACCCAGG GATCCGAGTC CATTACCTGC ATACTGCAAG
1451 ACGGGAACGT GGTCTGGAGC TCCACCGTGC CCCGCTGTGA AGCTCCATGT
1501 GGTGGACATC TGACAGCGTC CAGCGGAGTC ATTTTGCCTC CTGGATGGCC
35  1551 AGGATATTAT AAGGATTCTT TACATTGTGA ATGGATAATT GAAGCAAAAC
1601 CAGGCCACTC TATCAAAATA ACTTTTGACA GATTTTCAGAC AGAGGTCAAT
1651 TAGACACCT TGGAGGTCAG AGATGGGCCA GCCAGTTCGT CCCCAGTAT
1701 CCGCGAGTAC CACGGCACCC AGGCACCCCA GTTCCTCATC AGCACCGGGA
1751 ACTTCATGTA CCTGCTATTC ACCACTGACA ACAGCCGCTC CAGCATCGGC
40  1801 TTCCTCATCC ACTATGAGAG TGTGACGCTT GAGTCGGATT CCTGCCTGGA
1851 CCCGGGCATC CCTGTGAACG GCCATCGCCA CCGTGGAGAC TTTGGCATCA
1901 GGTCCACAGT GACTTTTACG TGTGACCCGG GGTACACACT AAGTGACGAC
1951 GAGCCCCTCG TCTGTGAGAG GAACCACCAG TGGAAACCAG CTTAGCCCAG
2001 CTGCGACGCT CTATGTGGAG GCTACATCCA AGGGAAGAGT CCGTACAGTCC
45  2051 TTTCTCCTGG GTTTCCAGAT TTTTATCCAA ACTCTCTAAA CTGCACGTGG
2101 ACCATTGAAG TGTCTCATGG GAAAGGAGTT CAAATGATCT TTCACACCTT
2151 TCATCTTGAG AGTTCCACAG ACTATTTACT GATCACAGAG GATGGAAGTT
2201 TTTCCGAGCC CGTTGCCAGG CTCACCGGGT CGGTGTGTC TCATACGATC
2251 AAGGCAGGCC TGTNNGGAA CTTACTGCC CAGCTTCGTT TTATATCAGA
50  2301 CTTCTCAATT TCGTACGAGG GCTTCAATAT CACATTTTCA GAATATGACC
2351 TGGAGCCATG TGATGATCCT GGAGTCCCTG CCTTCAGCCG AAGAATTGGT
2401 TTTCACTTTG GTGTGGGAGA CTCTCTGACG TTTTCCTGCT TCCTGGGATA
2451 TCGTTTAGAA GGTGCCACCA AGCTTACCTG CCTGGGTGGG GGCCGCCGTG
2501 TGTGGAGTGC ACCTCTGCCA AGGTGTGTGG CCGAATGTGG AGCAAGTGTC
55  2551 AAAGGAAATG AAGGAACATT ATGTCTCCA AATTTCCAT CCAATTATGA
2601 TAATAACCAT GAGTGTATCT ATAAAAATAGA AACAGAAGCC GGCAAGGGCA
2651 TCCACCTTAG AACACGAAGC TTCCAGCTGT TTGAAGGAGA TACTCTAAAG
2701 GTATATGATG GAAAAGACAG TTCTCACGTT CCACTGGGCA CGTTCACTAA
2751 AAATGAACTT CTGGGGCTGA TCCTAAACAG CACATCCAAT CACCTGTGGC
60  2801 TAGAGTTCAA CACCAATGGA TCTGACACCG ACCAAGGTTT TCAACTCACC
2851 TATACCAATT TTGATCTGGT AAAATGTGAG GATCCGGGCA TCCCTAATA
2901 CCGCTATAGG ATCCGTGATG AAGGCCACTT TACCGACACT GCGATTCTGT
2951 ACAGTTGCAA CCCGGGGTAC GCCATGCATG GCAGCAACAC CCTGACCTGT

```

	3001	TTGAGTGGAG	ACAGGAGAGT	GTGGGACAAA	CCACTACCTT	CGTGCATAGC
	3051	GGAATGTGGT	GGTCAGATCC	ATGCAGCCAC	ATCAGGACGA	ATATTGTCCC
	3101	CTGGCTATCC	AGCTCCGTAT	GACAACAACC	TCCACTGCAC	CTGGATTATA
5	3151	GAGGCAGACC	CAGGAAAGAC	CATTAGCCTC	CATTTTCATTG	TTTTCGACAC
	3201	GGAGATGGCT	CACGACATCC	TCAAGGTCTG	GGACGGGCCG	CTGGACAGTG
	3251	ACATCCTGCT	GAAGGAGTGG	AGTGGCTCCG	CCCTTCCGGA	GGACATCCAC
	3301	AGCACCTTCA	ACTCACTCAC	CCTGCAGTTC	GACAGCGACT	TCTTCATCAG
	3351	CAAGTCTGGC	TTCTCCATCC	AGTTCTCCAC	CTCAATTGCA	GCCACCTGTA
10	3401	ACGATCCAGG	TATGCCCCAA	AATGGCACCC	GCTATGGAGA	CAGCAGAGAG
	3451	GCTGGAGACA	CCGTCACATT	CCAGTGTGAC	CCTGGCTATC	AGCTCCAAGG
	3501	ACAAGCCAAA	ATCACCTGTG	TGCAGCTGAA	TAACCGGTTT	TTTTGGCAAC
	3551	CAGACCCCTC	TACATGCATA	GCTGCTTGTG	GAGGGAATCT	GACGGGCCCCA
	3601	GCAGGTGTTA	TTTTGTCCAC	CAACTACCCA	CAGCCGTATC	CTCCTGGGAA
	3651	GGAATGTGAC	TGGAGAGTAA	AAGTGAACCC	GGACTTTGTC	ATCGCCTTGA
15	3701	TATTCAAAAAG	TTTCAACATG	GAGCCCAGCT	ATGACTTCCT	ACACATCTAT
	3751	GAAGGGGAAG	ATTCCAACAG	CCCCCTCATT	GGGAGTTACC	AGGGCTCTCA
	3801	GGCCCCAGAA	AGAATAGAGA	GTAGCGGAAA	CAGCCTGTTT	CTGGCATTTT
	3851	GGAGTGATGC	CTCCGTGGGC	CTTTTCAGGGT	TCGCCATTGA	ATTTAAAGAG
	3901	AAACCACGGG	AAGCTTGTTT	TGACCCAGGA	AATATAATGA	ATGGGACAAG
20	3951	AGTTGGAACA	GACTTCAAGC	TTGGCTCCAC	CATCACCTAC	CAGTGTGACT
	4001	CTGGCTATAA	GATTCTTGAC	CCCTCATCCA	TCACCTGTGT	GATTGGGGCT
	4051	GATGGGAAAC	CCTCCTGGGA	CCAAGTGCTG	CCCTCCTGCA	ATGCTCCCTG
	4101	TGGAGGCCAG	TACACGGGAT	CAGAAGGGGT	AGTTTTATCA	CCAAACTACC
	4151	CCCATAAATTA	CACAGCTGGT	CAAATATGCC	TCTATTCCAT	CACGGTACCA
25	4201	AAGGAATTCG	TGGTCTTTGG	ACAGTTTGCC	TATTTCCAGA	CAGCCCTGAA
	4251	TGATTTGGCA	GAATTATTTG	ATGGAACCCA	TGCACAGGCC	AGACTTCTCA
	4301	GCTCACTCTC	GGGGTCTCAC	TCAGGGGAAA	CATTGCCCTT	GGCTACGTCA
	4351	AATCAAATTC	TGCTCCGATT	CAGTGCAAAG	AGCGGTGCCT	CTGCCCCGGG
	4401	CTTCCACTTC	GTGTATCAAG	CTGTTCTCG	TACCAGTGAC	ACCCAATGCA
30	4451	GCTCTGTCCC	CGAGCCCAGA	TACGGAAGGA	GAATTGGTTC	TGAGTTTTCT
	4501	GCCGGCTCCA	TCGTCCGATT	CGAGTGCAAC	CCGGGATACC	TGCTTCAGGG
	4551	TTCCACGGCG	CTCCACTGCC	AGTCCGTGCC	CAACGCCCTG	GCACAGTGGA
	4601	ACGACACGAT	CCCCAGCTGT	GTGGTACCCT	GCAGTGGCAA	TTTCACTCAA
	4651	CGAAGAGGTA	CAATCCTGTC	CCCCGGCTAC	CCTGAGCCAT	ACGGAAACAA
35	4701	CTTGAACGTG	ATATGGAAGA	TCATAGTTAC	GGAGGGCTCG	GGAATTCAGA
	4751	TCCAAGTGAT	CAGTTTTGCC	ACGGAGCAGA	ACTGGGACTC	CCTTGAGATC
	4801	CACGATGGTG	GGGATGTGAC	CGCACCCAGA	CTGGGAAGCT	TCTCAGGCAC
	4851	CACAGTACCG	GCACTGCTGA	ACAGTACTTC	CAACCAACTC	TACCTGCATT
	4901	TCCAGTCTGA	CATTAGTGTG	GCAGCTGCTG	GTTTCCACCT	GGAATACAAA
40	4951	ACTGTAGGTC	TTGCTGCATG	CCAAGAACCA	GCCCTCCCCA	GCAACAGCAT
	5001	CAAAATCGGA	GATCGGTACA	TGGTGAACGA	CGTGCTCTCC	CTCCAGTCCG
	5051	AGCCCGGGTA	CACCCTGCAG	GGCCGTTCCC	ACATTTCCCTG	TATGCCAGGG
	5101	ACCGTTCGCC	GTTGGAACCTA	TCCGTCTCCC	CTGTGCATTG	CAACCTGTGG
	5151	AGGGACGCTG	AGCACCTTGG	GTGGTGTGAT	CCTGAGCCCC	GGCTTCCCAG
45	5201	GTTCTTACCC	CAACAACCTA	GACTGCACCT	GGAGGATCTC	ATTACCCATC
	5251	GGCTATGGTG	CACATATTCA	GTTTCTGAAT	TTTTCTACCG	AAGCTAATCA
	5301	TGACTTCCTT	GAAATTCAAA	ATGGACCTTA	CCACACCAGC	CCCATGATTG
	5351	GACAATTTAG	CGGCACGGAT	CTCCCCGCGG	CCCTGCTGAG	CACAACGCAT
	5401	GAAACCCCTCA	TCCACTTTTA	TAGTGACCAT	TCGAAAACC	GGCAAGGATT
50	5451	TAAACTTGCT	TACCAAGCCT	ATGAATTACA	GAAGTGCCA	GATCCACCCC
	5501	CATTTTCAGAA	TGGGTACATG	ATCAACTCGG	ATTACAGCGT	GGGGCAATCA
	5551	GTATCTTTCG	AGTGTTATCC	TGGGTACATT	CTAATAGGCC	ATCCTGTCCCT
	5601	CACTTGTCAG	CATGGGATCA	ACAGAAACTG	GAAGTACCCT	TTTCCAAGAT
	5651	GTGATGCCCC	TTGTGGGTAC	AACGTAACCT	CTCAGAACGG	CACCATCTAC
55	5701	TCCCCGCGCT	TTCTGTATGA	GTATCCGATC	CTGAAGGACT	GCATTTGGCT
	5751	CATCACGGTG	CCTCCAGGGC	ACGGAGTTTA	CATCAACTTC	ACCCTGTTAC
	5801	AGACGGAAGC	TGTCAACGAT	TACATTGCTG	TTTGGGACGG	TCCCGATCAG
	5851	AACTCACCCC	AGCTGGGAGT	TTTCAGTGGC	AACACAGCCC	TCGAAACGGC
	5901	GTATAGCTCC	ACCAACCAAG	TCCGTCTCAA	GTTCCACAGC	GACTTTTCAA
60	5951	ATGGAGGCTT	CTTTGTCCTC	AATTTCCACG	GTCAGTTGAT	TTTCACTCCG
	6001	TTAGTTAAGA	CTGAGAATTC	CATGTGGTGT	TTACTGCAGT	GTTGTCCAC
	6051	GCCTTGTTTC	CAGCTGAAGT	TTCTTGATTG	AGCCGAGGGC	GTGTATGATT
	6101	CTTTTGCACT	GGAGGCCAGC	GTTTCTGTG	GTCCTTTTTT	TGTTTAATGA

5

```
6151 TGTCTTTATT ATTTCAATC GTATCCAGCT TGGATTTATT CCAAGATACA
6201 TGTATCCTAA GTGAAACTCT AAGATGAAGA CCATTGAAAG AGATTGGTA
6251 CCTTTTATAG ATTTACTCAT CCCTGTCTCA AGATAAGGTG TTATAGCAAA
6301 TGTCATGTAA CTATAAATGG TGTGAAAGCA AACCTCCAAT AATCCTGGGA
6351 ATGCACTCTA AACGATATGT AGAACATCTG TCAATCNATC GCTTATCTCT
6401 CACGAACAC
```

SEQ ID NO:4

5G-3V3 Nucleotide sequence 5667 bp

```

1   TTTTAGGGAT GGTATGAATT TAATATTTTT TAGTATTACA ATATATTCTT
5   51  ATAAAAAAGG TCCAAGTGAA AAAGGCGATT GAGTTGAAGT CAAGAGGAGT
    101  CAAGATGCTG CCCAGCAAGG ATGGAAGCCA TAAAAACTCT GTCTGGCATA
    151  TGGAAATAACA TCAACCATGT GACATCCGAA GAAGATACGT TCATTATGTA
    201  TCTGGGAAAA CCATGGCTTC AAGTGAAAAT TCAAGTGAGC CAAGGAGGTG
    251  TTGCATTGGT CTCTGACATG TGTCCAGATC CTGGGATTCC AGAAAATGGT
10  301  AGAAGAGCAG GTTCCGACTT CAGGGTTGGT GCAAATGTAC AGTTTTCATG
    351  TGAGGACAAT TACGTGCTCC AGGGATCTAA AAGCATCACC TGTCAGAGAG
    401  TTACAGAGAC GCTCGCTGCT TGGAGTGACC ACAGGCCCAT CTGCCGAGCG
    451  AGAACATGTG GATCCAATCT GCGTGGGCCC AGCGGCGTCA TTACCTCCCC
    501  TAATTATCCG GTTCAGTATG AAGATAATGC ACACTGTGTG TGGGTCAATCA
15  551  CCACCACCGA CCCGGACAAG GTCATCAAGC TTGCCTTNGA AGAGTTTGAG
    601  CTGGAGCGAG GCTATGACAC CCTNACGGTT GGTGATGCTG GGAAGGTGGG
    651  AGACACCAGA TCGGTCTTGT ANGTGCTCAC GGGATCCAGT GTTCCTGACC
    701  TCATTGTGAG CATGAGCAAC CAGATGTGGC TACATCTGCA GTCGGATGAT
    751  AGCATTGGCT CACCTGGGTT TAAAGCTGTT TACCAAGAAA TTGAAAAGGG
20  801  AGGGTGTGGG GATCCTGGAA TCCCCGCCTA TGGGAAGCGG ACGGGCAGCA
    851  GTTTCCTCCA TGGAGATACA CTCACCTTTG AATGCCCGGC GGCCTTTGAG
    901  CTGGTGGGGG AGAGAGTTAT CACCTGTCAG CAGAACAATC AGTGGTCTGG
    951  CAACAAGCCC AGCTGTGTAT TTTTCATGTTT CTTCAACTTT ACGGCATCAT
25 1001  CTGGGATTAT TCTGTCACCA AATTATCCAG AGGAATATGG GAACAACATG
    1051  AACTGTGTCT GGTTGATTAT CTCGGAGCCA GGAAGTCGAA TTCACCTAAT
    1101  CTTTAATGAT TTTGATGTTG AGCCTCAATT TGACTTTCTC GCGGTCAAGG
    1151  ATGATGGCAT TTCTGACATA ACTGTCCTGG GTACTTTTTC TGGCAATGAA
    1201  GTGCCCTCCC AGCTGGCCAG CAGTGGGCAT ATAGTTCGCT TGGAATTTCA
    1251  GTCTGACCAT TCCACTACTG GCAGAGGGTT CAACATCACT TACACCACAT
30 1301  TTGGTCAGAA TGAGTGCCAT GATCCTGGCA TTCCTATAAA CGGACGACGT
    1351  TTTGGTGACA GGTTCCTACT CGGGAGCTCG GTTCTTTTCC ACTGTGATGA
    1401  TGGCTTTGTC AAGACCCAGG GATCCGAGTC CATTACCTGC ATACTGCAAG
    1451  ACGGGAACGT GGTCTGGAGC TCCACCGTGC CCCGCTGTGA AGCTCCATGT
    1501  GGTGGACATC TGACAGCGTC CAGCGGAGTC ATTTTGCCTC CTGGATGGCC
35 1551  AGGATATTAT AAGGATTCTT TACATTGTGA ATGGATAATT GAAGCAAAAC
    1601  CAGGCCACTC TATCAAAATA ACTTTTGACA GATTTTCAGAC AGAGGTCAAT
    1651  TATGACACCT TGGAGGTCAG AGATGGGCCA GCCAGTTCGT CCCCCTGAT
    1701  CGGCGAGTAC CACGGCACCC AGGCACCCCA GTTCCTCATC AGCACCGGGA
    1751  ACTTCATGTA CCTGCTATTC ACCACTGACA ACAGCCGCTC CAGCATCGGC
40 1801  TTCCTCATCC ACTATGAGAG TGTGACGCTT GAGTCGGATT CCTGCCTGGA
    1851  CCCGGGCATC CCTGTGAACG GCCATCGCCA CGGTGGAGAC TTTGGCATCA
    1901  GGTCCACAGT GACTTTTCAG TGTGACCCGG GGTACACACT AAGTGACGAC
    1951  GAGCCCCTCG TCTGTGAGAG GAACCACCAG TGGAACCACG CCTTGCCCAG
    2001  CTGCGACGCT CTATGTGGAG GCTACATCCA AGGGAAGAGT GGAACAGTCC
45 2051  TTTCTCCTGG GTTTCAGAT TTTTATCCAA ACTCTCTAAA CTGCACGTGG
    2101  ACCATTGAAG TGTCTCATGG GAAAGGAGTT CAAATGATCT TTCACACCTT
    2151  TCATCTTGAG AGTTCCCACG ACTATTTACT GATCACAGAG GATGGAAGTT
    2201  TTTCCGAGCC CGTTGCCAGG CTCACCGGGT CGGTGTGGCC TCATACGATC
    2251  AAGGCAGGCC TGTNNGAAA CTTCACTGCC CAGCTTCGGT TTATATCAGA
50 2301  CTCTCAATT TCGTACGAGG GCTTCAATAT CACATTTTCA GAATATGACC
    2351  TGGAGCCATG TGATGATCCT GGAGTCCCTG CCTTCAGCCG AAGAATTGGT
    2401  TTTCACTTTG GTGTGGGAGA CTCTCTGACG TTTTCCTGCT TCCTGGGATA
    2451  TCGTTTAGAA GGTGCCACCA AGCTTACCTG CCTGGGTGGG GGCCGCCGTG
    2501  TGTGGAGTGC ACCTCTGCCA AGGTGTGTGG CCGAATGTGG AGCAAGTGTG
55 2551  AAAGGAAATG AAGGAACATT ACTGTCTCCA AATTTTCCAT CCAATTATGA
    2601  TAATAACCAT GAGTGTATCT ATAAAATAGA AACAGAAGCC GGCAAGGGCA
    2651  TCCACCTTAG AACACGAAGC TTCCAGCTGT TTGAAGGAGA TACTCTAAAG
    2701  GTATATGATG GAAAAGACAG TTCCTCACGT CCACTGGGCA CGTTCACTAA
    2751  AAATGAACCT CTGGGGCTGA TCCTAAACAG CACATCCAAT CACCTGTGGC
60 2801  TAGAGTTCAA CACCAATGGA TCTGACACCG ACCAAGGTTT TCAACTCACC
    2851  TATACCACTT TTGATCTGGT AATGATGTGAG GATCCGGGCA TCCCTAACTA
    2901  CGGCTATAGG ATCCGTGATG AAGGCCACTT TACCGACACT GTAGTTCTGT
    2951  ACAGTTGCAA CCCGGGGTAC GCCATGCATG GCAGCAACAC CCTGACCTGT

```

	3001	TTGAGTGGAG	ACAGGAGAGT	GTGGGACAAA	CCACTACCTT	CGTGCATAGC
	3051	GGAATGTGGT	GGTCAGATCC	ATGCAGCCAC	ATCAGGACGA	ATATTGTCCC
	3101	CTGGCTATCC	AGCTCCGTAT	GACAACAACC	TCCACTGCAC	CTGGATTATA
5	3151	GAGGCAGACC	CAGGAAAGAC	CATTAGCCTC	CATTTCAATTG	TTTTCGACAC
	3201	GGAGATGGCT	CACGACATCC	TCAAGGTCTG	GGACGGGCCG	GTGGACAGTG
	3251	ACATCCTGCT	GAAGGAGTGG	AGTGGCTCCG	CCCTTCCGGA	GGACATCCAC
	3301	AGCACCTTCA	ACTCACTCAC	CCTGCAGTTC	GACAGCGACT	TCTTCATCAG
	3351	CAAGTCTGGC	TTCTCCATCC	AGTTCTCCAC	CTCAATTGCA	GCCACCTGTA
10	3401	ACGATCCAGG	TATGCCCCAA	AATGGCACCC	GCTATGGAGA	CAGCAGAGAG
	3451	GCTGGAGACA	CCGTCACATT	CCAGTGTGAC	CCTGGCTATC	AGCTCCAAGG
	3501	ACAAGCCAAA	ATCACCTGTG	TGCAGCTGAA	TAACCGGTTT	TTTTGGCAAC
	3551	CAGACCCTCC	TACATGCATA	GCTGCTTGTG	GAGGGAATCT	GACGGGCCCA
	3601	GCAGGTGTTA	TTTTGTCAAC	CAACTACCCA	CAGCCGTATC	CTCCTGGGAA
	3651	GGAATGTGAC	TGGAGAGTAA	AAGTGAACCC	GGACTTTGTC	ATCGCCTTGA
15	3701	TATTCAAAAG	TTTCAACATG	GAGCCCAGCT	ATGACTTCCT	ACACATCTAT
	3751	GAAGGGGAAG	ATTCCAACAG	CCCCCTCATT	GGGAGTTACC	AGGGCTCTCA
	3801	GGCCCCAGAA	AGAATAGAGA	GTAGCGGAAA	CAGCCTGTTT	CTGGCATTTC
	3851	GGAGTGATGC	CTCCGTGGGC	CTTTCAGGGT	TCGCCATTGA	ATTTAAAGAG
	3901	AAACCACGGG	AAGCTTGTTT	TGACCCAGGA	AATATAATGA	ATGGGACAAG
20	3951	AGTTGGAACA	GACTTCAAGC	TTGGCTCCAC	CATCACCTAC	CAGTGTGACT
	4001	CTGGCTATAA	GATTCTTGAC	CCCTCATCCA	TCACCTGTGT	GATTGGGGCT
	4051	GATGGGAAAC	CCTCCTGGGA	CCAAGTGCTG	CCCTCCTGCA	ATGCTCCCTG
	4101	TGGAGGCCAG	TACACGGGAT	CAGAAGGGGT	AGTTTTATCA	CCAACTACC
	4151	CCCATAAATTA	CACAGCTGGT	CAAATATGCC	TCTATTCCAT	CACGGTACCA
25	4201	AAGGAATTCG	TGGTCTTTGG	ACAGTTTGCC	TATTTCCAGA	CAGCCCTGAA
	4251	TGATTTGGCA	GAATTATTTG	ATGGAACCCA	TGCACAGGCC	AGACTTCTCA
	4301	GCTCACTCTC	GGGGTCTCAC	TCAGGGGAAA	CATTGCCCTT	GGCTACGTCA
	4351	AATCAAATTC	TGCTCCGATT	CAGTGCAAAG	AGCGGTGCCT	CTGCCCGCGG
30	4401	CTTCCACTTC	GTGTATCAAG	CTGTTCCCTG	TACCAAGTAC	ACCCAATGCA
	4451	GCTCTGTCCC	CGAGCCGAGA	TACGGAAGGA	GAATTGGTTC	TGAGTTTTCT
	4501	GCCGGCTCCA	TCGTCCGATT	CGAGTGCAAC	CCGGGATACC	TGCTTCAGGG
	4551	TTCCACGGCG	CTCCACTGCC	AGTCCGTGCC	CAACGCCTTG	GCACAGTGGA
	4601	ACGACACGAT	CCCCAGCTGT	GTGGTACCCT	GCAGTGGCAA	TTTCACTCAA
	4651	CGAAGAGGTA	CAATCCTGTC	CCCCGGCTAC	CCTGAGCCAT	ACGGAAACAA
35	4701	CTTGAAGTGT	ATATGGAAGA	TCATAGTTAC	GGAGGGCTCG	GGAATTCAGA
	4751	TCCAAGTGAT	CAGTTTTGCC	ACGGAGCAGA	ACTGGGACTC	CCTTGAGATC
	4801	CACGATGGTG	GGGATGTGAC	CGCACCCAGA	CTGGGAAGCT	TCTCAGGCAC
	4851	CACAGTACCG	GCACTGCTGA	ACAGTACTTC	CAACCAACTC	TACCTGCATT
	4901	TCCAGTCTGA	CATTAGTGTG	GCAGCTGCTG	GTTTCCACCT	GGAATACAAA
40	4951	ACTGTAGGTC	TTGCTGCATG	CCAAGAACCA	GCCCTCCCCA	GCAACAGCAT
	5001	CAAAATCGGA	GATCGGTACA	TGGTGAACGA	CGTGCTCTCC	TTCCAGTGCG
	5051	AGCCCGGGTA	CACCCTGCAG	GGCCGTTCCT	ACATTTCTCTG	TATGCCAGGG
	5101	ACCGTTCGCC	GTTGGAACCTA	TCCGTCTCCC	CTGTGCATTG	CAACCTGTGG
	5151	AGGGACGCTG	AGCACCTTGG	GTGGTGTGAT	CCTGAGCCCC	GGCTTCCCAG
45	5201	GTTCTTACCC	CAACAACCTTA	GACTGCACCT	GGAGGATCTC	ATTACCCATC
	5251	GGCTATGGTG	CACATATTCA	GTTTCTGAAT	TTTTCTACCG	AAGCTAATCA
	5301	TGACTTCCTT	GAAATTCAAA	ATGGACCTTA	CCACACCAGC	CCCATGATTG
	5351	GACAATTTAG	CGGCACGGAT	CTCCCGCGCG	CCCTGCTGAG	CACAACGCAT
	5401	GAAACCCTCA	TCCACTTTTA	TAGTGACCAT	TCGCAAAACC	GGCAAGGATT
50	5451	TAAACTTGCT	TACCAAGCCT	AATCTGGAAG	CATTGGTCCT	GCTTTCCCAT
	5501	GTCTTGACAC	CCCATTCCAA	GCCAGATGTC	AAGGAGAAGA	AAGGACTTTC
	5551	AATTAATAAA	AAAACAAAAA	CTCGAAACAA	CATGTTTTTT	ATTGTACGCC
	5601	ATTAATTTCC	TATCACTGAG	ATATAAAAAT	AAATAATGCC	NAAAAAAA
55	5651	AAAAAAA	AAAAAAA			

SEQ ID NO:5

	5R-3V2 Nucleotide sequence	7323 bp
	1 GCGTCGGATG CGCGGCGGGT CTTGGGACCG GGCNCTCTCT CCGGCTCGCC	
5	51 TTGCCCTCGG GTGATTATTT GGCTCCGCTC ATAGCCCTGC CTTCTCTCGGA	
	101 GGAGCCATCG GTGTCGCGTG CGTGTGGNGT ATCTGCAGAC ATGACTGCGT	
	151 GGAGGAGATT CCAGTCGCTG CTCTGCTTC TCGGGCTGCT GGTGCTGTGC	
	201 GCGAGGCTCC TCACTGCAGC GAAGGGTCAG AACTGTGGAG GCTTAGTCCA	
	251 GGGTCCCAAT GGCACCTATT AGAGCCAGG GTTTCCTCAC GGGTATCCGA	
10	301 ACTATGCCAA CTGCACCTGG ATCATCATCA CGGGCGAGCG CAATAGGATA	
	351 CAGTTGTCTT TCCATACCTT TGCTCTTGAA GAAGATTTTG ATATTTTATC	
	401 AGTTTACGAT GGACAGCCTC AACAAAGGAA TTTAAAAGTG AGATTATCGG	
	451 GATTTACGCT GCCCTCCTCT ATAGTGAGTA CAGGATCTAT CCTCACTCTG	
	501 TGGTTCACGA CAGACTTCGC TGTGAGTGCC CAAGGTTTCA AAGCATTATA	
15	551 TGAAGTTTTA CCTAGCCACA CTTGTGGAAA TCCTGGAGAA ATCCTGAAAG	
	601 GAGTCTGCA TGGAACGAGA TTCAACATAG GAGACAAAT CCGGTACAGC	
	651 TGCTTCCCTG GCTACATCTT GGAAGGCCAC GCCATCCTGA CCTGTCATCGT	
	701 CAGCCACGGA AATGGTGCAT CGTGGGACTT CCCAGCTCCC TTTTGCAGAG	
	751 CTGAGGGAGC CTGCGGAGGA ACCTTACGCG GGACCAGCAG CTCCATCTCC	
20	801 AGCCCGCACT TCCCTTCAGA GTACGAGAAC AACGCGGACT GCACCTGGAC	
	851 CATCTGGCT GAGCCCGGGG ACACCATTCG GCTGGTCTTC ACTGACTTTC	
	901 AGCTAGAAGA AGGATATGAT TTCTTAGAGA TCAGTGGCAC GGAAGCTCCA	
	951 TCCATATGGC TAACTGGCAT GAACCTCCCC TCTCCAGTTA TCAGTAGCAA	
	1001 GAATTGGCTA CGACTCCATT TCACCTCTGA CAGCAACCAC CGACGCAAAG	
25	1051 GATTTAACGC TCAGTTCCAA GTGAAAAAGG CGATTGAGTT GAAGTCAAGA	
	1101 GGAGTCAAGA TGCTGCCAG CAAGGATGGA AGCCATAAAA ACTCTGTCTT	
	1151 GAGCCAAGGA GGTGTTGCAT TGGTCTCTGA CATGTGTCCA GATCCTGGGA	
	1201 TTCCAGAAAA TGGTAGAAGA GCAGGTTCCG ACTTCAGGGT TGGTGCAAT	
	1251 GTACAGTTTT CATGTGAGGA CAATTACGTG CTCCAGGGAT CTAAAAGCAT	
30	1301 CACCTGTCAG AGAGTTACAG AGACGCTCGC TGCTTGGAGT GACCACAGGC	
	1351 CCATCTGCCG AGCGAGAACA TGTGGATCCA ATCTGCGTGG GCCCAGCGGC	
	1401 GTCATTACCT CCCCTAATTA TCCGGTTCAG TATGAAGATA ATGCACACTG	
	1451 TGTGTGGGTC ATCACCACCA CCGACCCGGA CAAGGTCATC AAGCTTGCCT	
	1501 TNGAAGAGTT TGAGCTGGAG CGAGGCTATG ACACCCTNAC GGTGGGTGAT	
35	1551 GCTGGGAAGG TGGGAGACAC CAGATCGGTC TTGTANGTGC TCACGGGATC	
	1601 CAGTGTTCCT GACCTCATTG TGAGCATGAG CAACCAGATG TGGCTACATC	
	1651 TGCAGTCGGA TGATAGCATT GGCTCACCTG GGTTTAAAGC TGTTTACCAA	
	1701 GAAATTGAAA AGGGAGGGTG TGGGGATCCT GGAATCCCCG CCTATGGGAA	
	1751 GCGGACGGGC AGCAGTTTCC TCCATGGAGA TNCACCTNACC TTTGAATGCC	
40	1801 CGGCGGCCCT TGAGCTGGTG GGGGAGAGAG TTATCACCTG TCAGCAGAAC	
	1851 AATCAGTGGT CTGGCAACAA GCCCAGCTGT GTATTTTCAT GTGAATGGAT	
	1901 CTTTACGGCA TCATCTGGGA TTATTCTGTC ACCAAATTAT CCAGAGGAAT	
	1951 ATGGGAACAA CATGAAGTGT GTCTGGTTGA TTATCTCGGA GCCAGGAAGT	
	2001 CGAATTACAC TAATCTTTAA TGATTTTGAT GTTGAGCCTC AATTTGACTT	
45	2051 TCTCGCGGTC AAGGATGATG GCATTTCTGA CATAACTGTC CTGGGTACTT	
	2101 TTTCTGGCAA TGAAGTGCCT TCCCAGCTGG CCAGCAGTGG GCATATAGTT	
	2151 CGCTTGGAAT TTCAGTCTGA CCATTCCACT ACTGGCAGAG GGTTNAACAT	
	2201 CACTTACACC ACNTTGGTTC AGAATGAGTG CCATGATCCT GGCATTCCCTA	
	2251 TAAACGGACG ACGTTTTGGT GACAGGTTTC TACTCGGGAG CTCGGTTTCT	
50	2301 TTCCACTGTG ATGATGGCTT TGTCAAGACC CAGGGATCCG AGTCCATTAC	
	2351 CTGCATACTG CAAGACGGGA ACGTGGTCTG GAGCTCCACC GTGCCCGCT	
	2401 GTGAAGCTCC ATGTGGTGGA CATCTGACAG CGTCCAGCGG AGTCATTTTG	
	2451 CCTCTGGAT GGCCAGGATA TTATAAGGAT TCTTTACATT GTGAATGGAT	
	2501 AATTGAAGCA AAACCAGGCC ACTCTATCAA AATAACTTTT GACAGATTTT	
55	2551 AGACAGAGGT CAATTATGAC ACCTTGGAGG TCAGAGATGG GCCAGCCAGT	
	2601 TCGTCCCCAC TGATCGGCGA GTACCACGGC ACCCAGGCAC CCCAGTTCCT	
	2651 CATCAGCACC GGGAACTTCA TGTACCTGCT ATTCACCACT GACAACAGCC	
	2701 GCTCCAGCAT CGGCTTCCTC ATCCACTATG AGAGTGTGAC GCTTGAGTCG	
	2751 GATTCCTGCC TGGACCCGGG CATCCCTGTG AACGGCCATC GCCACGGTGG	
60	2801 AGACTTTGGC ATCAGGTCCA CAGTGACTTT CAGCTGTGAC CCGGGGTACA	
	2851 CACTAAGTGA CGACGAGCCC CTCGTCTGTG AGAGGAACCA CCAGTGGAAC	
	2901 CACGCCTTGC CCAGCTGCGA CGCTCTATGT GGAGGCTACA TCCAAGGGAA	
	2951 GAGTGGAACA GTCCTTTCTC CTGGGTTTCC AGATTTTAT CCAAACCTCT	

	3001	TAAACTGCAC	GTGGACCATT	GAAGTGTCTC	ATGGGAAAGG	AGTTCAAATG
	3051	ATCTTTCACA	CCTTTCATCT	TGAGAGTTCC	CACGACTATT	TACTGATCAC
	3101	AGAGGATGGA	AGTTTTTCCG	AGCCCGTTGC	CAGGCTCACC	GGGTCGGTGT
5	3151	TGCCTCATAC	GATCAAGGCA	GGCCTGTTNG	GAAACTTCAC	TGCCCAGCTT
	3201	CGGTTTATAT	CAGACTTCTC	AATTTCTGTAC	GAGGGCTTCA	ATATCACATT
	3251	TTCAGAATAT	GACCTGGAGC	CATGTGATGA	TCCTGGAGTC	CCTGCCTTCA
	3301	GCCGAAGAAT	TGGTTTTTAC	TTTGGTGTGG	GAGACTCTCT	GACGTTTTTC
	3351	TGCTTCCTGG	GATATCGTTT	AGAAGGTGCC	ACCAAGCTTA	CCTGCCTGGG
10	3401	TGGGGGCCGC	CGTGTGTGGA	GTGCACCTCT	GCCAAGGTGT	GTGGCCGAAT
	3451	GTGGAGCAAG	TGTCAAAGGA	AATGAAGGAA	CATTACTGTC	TCCAAATTTT
	3501	CCATCCAATT	ATGATAATAA	CCATGAGTGT	ATCTATAAAA	TAGAAACAGA
	3551	AGCCGGCAAG	GGCATCCACC	TTAGAACACG	AAGCTTCCAG	CTGTTTGAAG
	3601	GAGATACTCT	AAAGGTATAT	GATGGAAAAG	ACAGTTCCTC	ACGTCCACTG
	3651	GGCACGTTCA	CTAAAAATGA	ACTTCTGGGG	CTGATCCTAA	ACAGCACATC
15	3701	CAATCACCTG	TGGCTAGAGT	TCAACACCAA	TGGATCTGAC	ACCGACCAAG
	3751	GTTTTCAACT	CACCTATAAC	AGTTTGTATC	TGGTAAAATG	TGAGGATCCG
	3801	GGCATCCCTA	ACTACGGCTA	TAGGATCCGT	GATGAAGGCC	ACTTTACCGA
	3851	CACGTGTAGT	CTGTACAGTT	GCAACCCGGG	GTACGCCATG	CATGGCAGCA
	3901	ACACCCTGAC	CTGTTTGTAGT	GGAGACAGGA	GAGTGTGGGA	CAAACCACTA
20	3951	CCTTCGTGCA	TAGCGGAATG	TGGTGGTCAG	ATCCATGCAG	CCACATCAGG
	4001	ACGAATATTG	TCCCCTGGCT	ATCCAGCTCC	GTATGACAAC	AACCTCCACT
	4051	GCACCTGGAT	TATAGAGGCA	GACCCAGGAA	AGACCATTAG	CCTCCATTTT
	4101	ATTGTTTTTC	ACACGGAGAT	GGCTCACGAC	ATCCTCAAGG	TCTGGGACGG
	4151	CGCGGTGGAC	AGTGACATCC	TGCTGAAGGA	GTGGAGTGGC	TCCGCCCTTC
25	4201	CGGAGGACAT	CCACAGCACC	TTCAACTCAC	TCACCCTGCA	GTTGACAGC
	4251	GACTTCTTCA	TCAGCAAGTC	TGGCTTCTCC	ATCCAGTTCT	CCACCTCAAT
	4301	TGCAGCCACC	TGTAACGATC	CAGGTATGCC	CCAAAATGGC	ACCCGCTATG
	4351	GAGACAGCAG	AGAGGCTGGA	GACACCGTCA	CATTCCAGTG	TGACCTGGC
	4401	TATCAGCTCC	AAGGACAAGC	CAAAATCACC	TGTGTGCAGC	TGAATAACCG
30	4451	GTTCTTTTTG	CAACCAAGCC	CTCCTACATG	CATAGCTGCT	TGTGGAGGGA
	4501	ATCTGACGGG	CCCAGCAGGT	GTTATTTTGT	CACCCAACTA	CCCACAGCCG
	4551	TATCCTCCTG	GGAAGGAATG	TGACTGGAGA	GTAAAAGTGA	ACCCGGACTT
	4601	TGTCATCGCC	TTGATATTCA	AAAGTTTCAA	CATGGAGCCC	AGCTATGACT
	4651	TCCTACACAT	CTATGAAGGG	GAAGATTCCA	ACAGCCCCCT	CATTGGGAGT
35	4701	TACCAGGGCT	CTCAGGCCCC	AGAAAGAATA	GAGAGTAGCG	GAAACAGCCT
	4751	GTTTTCTGGC	TTTCGGAGTG	ATGCCCTCCG	GGGCCTTTCA	GGGTTCGCCA
	4801	TTGAATTTAA	AGAGAAACCA	CGGGAAGCTT	GTTTTGACCC	AGGAAATATA
	4851	ATGAATGGGA	CAAGAGTTGG	AACAGACTTC	AAGCTTGGCT	CCACCATCAC
	4901	CTACCAGTGT	GACTCTGGCT	ATAAGATTCT	TGACCCCTCA	TCCATCACCT
40	4951	GTGTGATTGG	GGCTGATGGG	AAACCCCTCT	GGGACCAAGT	GATGCCCTCC
	5001	TGCAATGCTC	CCTGTGGAGG	CCAGTACACG	GGATCAGAAG	GGGTAGTTTT
	5051	ATCACCAAAC	TACCCCCATA	ATTACACAGC	TGGTCAAATA	TGCCTCTATT
	5101	CCATCACGGT	ACCAAAGGAA	TTCTGTTGCT	TTGGACAGTT	TGCCTATTTT
	5151	CAGACAGCCC	TGAATGATTT	GGCAGAATTA	TTTGATGGAA	CCCATGCACA
45	5201	GGCCAGACTT	CTCAGCTCAC	TCTCGGGGTC	TCACTCAGGG	GAAACATTGC
	5251	CCTTGGCTAC	GTCAAATCAA	ATTCTGCTCC	GATTCAAGTG	AAAGAGCGGT
	5301	GCCTCTGCCC	GCGGCTTCCA	CTTCGTGTAT	CAAGCTGTTC	CTCGTACCAG
	5351	TGACACCCAA	TGCAGCTCTG	TCCCCGAGCC	CAGATACGGA	AGGAGAATTG
	5401	GTTCTGAGTT	TTCTGCCGGC	TCCATCGTCC	GATTTCGAGTG	CAACCCGGGA
50	5451	TACCTGCTTC	AGGGTTCCAC	GGCGCTCCAC	TGCCAGTCCG	TGCCCCACGC
	5501	CTTGGCACAG	TGGAACGACA	CGATCCCCAG	CTGTGTGGTA	CCCTGCAGTG
	5551	GCAATTTTAC	TCAACGAAGA	GGTACAATCC	TGTCCCCCGG	CTACCCCTGAG
	5601	CCATACGGAA	ACAACCTGAA	CTGTATATGG	AAGATCATAG	TTACGGAGGG
	5651	CTCGGGAATT	CAGATCCAAG	TGATCAGTTT	TGCCACGGAG	CAGAACTGGG
55	5701	ACTCCCTTGA	GATCCACGAT	GGTGGGGATG	TGACCGCACC	CAGACTGGGA
	5751	AGCTTCTCAG	GCACCACAGT	ACCGGCACTG	CTGAACAGTA	CTTCCAACCA
	5801	ACTCTACCTG	CATTTCCAGT	CTGACATTAG	TGTGGCAGCT	GCTGGTTTCC
	5851	ACCTGGAATA	CAAACTGTGA	GGTCTTGCTG	CATGCCAAGA	ACCAGCCCTC
	5901	CCCAGCAACA	GCATCAAAAT	CGGAGATCGG	TACATGGTGA	ACGACGTGCT
60	5951	CTCCTTCCAG	TGCGAGCCCG	GGTACACCTT	GCAGGGCCGT	TCCCACATTT
	6001	CCTGTATGCC	AGGGACCGTT	CGCCGTTGGA	ACTATCCGTC	TCCCCGTGTC
	6051	ATTGCAACCT	GTGGAGGGAC	GCTGAGCACC	TTGGGTGGTG	TGATCCTGAG
	6101	CCCCGGCTTC	CCAGGTTCTT	ACCCCAACAA	CTTAGACTGC	ACCTGGAGGA

	6151	TCTCATTACC	CATCGGCTAT	GGTGACATA	TTCAGTTTCT	GAATTTTTCT
	6201	ACCGAAGCTA	ATCATGACTT	CCTTGAAATT	CAAAATGGAC	CTTACCACAC
5	6251	CAGCCCCATG	ATTGGACAAT	TTAGCGGCAC	GGATCTCCCC	GCGGCCCTGC
	6301	TGAGCACAAAC	GCATGAAACC	CTCATCCACT	TTTATAGTGA	CCATTTCGCAA
	6351	AACCGGCAAG	GATTTAAACT	TGCTTACCAA	GCCTATGAAT	TACAGAACTG
	6401	TCCAGATCCA	CCCCCATTTT	AGAATGGGTA	CATGATCAAC	TCGGATTACA
	6451	GCGTGGGGCA	ATCAGTATCT	TTCGAGTGTT	ATCCTGGGTA	CATTCTAATA
	6501	GGCCATCCTG	TCCTCACTTG	TCAGCATGGG	ATCAACAGAA	ACTGGAACTA
10	6551	CCCTTTTCCA	AGATGTGATG	CCCCTTGTGG	GTACAACGTA	ACTTCTCAGA
	6601	ACGGCACCAT	CTACTCCCCT	GGCTTTCCTG	ATGAGTATCC	GATCCTGAAG
	6651	GACTGCATTT	GGCTCATCAC	GGTGCTCCA	GGGCACGGAG	TTTACATCAA
	6701	CTTCACCCCTG	TTACAGACGG	AAGCTGTCAA	CGATTACATT	GCTGTTTGGG
	6751	ACGGTCCCGA	TCAGAACTCA	CCCCAGCTGG	GAGTTTTTCA	TGGCAACACA
15	6801	GCCCTCGAAA	CGGCGTATAG	CTCCACCAAC	CAAGTCCTGC	TCAAGTTCCA
	6851	CAGCGACTTT	TCAAATGGAG	GCTTCTTTGT	CCTCAATTTT	CACGGTCAGT
	6901	TGATTTTTCAC	TCCGTTAGTT	AAGACTGAGA	ATTCCATGTG	GTGTTTACTG
	6951	CAGTGTGTGTC	CCACGCCTTG	TTTCCAGCTG	AAGTTTCTTG	ATTCAGCCGA
	7001	GGGCGTGTAT	GATTCTTTTG	CACTGGAGGC	CAGCGTTTCC	TGTGGTCCTT
20	7051	TTTTTGTTTA	ATGATGTCTT	TATTATTTCA	CATCGTATCC	AGCTTGGATT
	7101	TATTCCAAGA	TACATGTATC	CTAAGTGAAA	CTCTAAGATG	AAGACCATTG
	7151	AAAGAGATTT	GGTACCTTTT	ATAGATTTAC	TCATCCCTGT	CTCAAGATAA
	7201	GGTGTATATAG	CAAATGTCAT	GTAAGTATAA	ATGGTGTGAA	AGCAAACCTC
	7251	CAATAATCCT	GGGAATGCAC	TCTAAACGAT	ATGTAGAACA	TCTGTCAATC
	7301	NATCGCTTAT	CTCTCACGAA	CAC		

SEQ ID NO:6

5R23V2

AGCTTGTGCCCTTTCCACCTGCATTTCTGATCTAAGTTAGGTAGGGGGCTGCTCTCTGGTC
5 AGCAAGGAAGGGAGATCAAAGGATGGAGGCGGGACTCTGCCCCTGCAGAAACCCTCCAG
TTTGCTGGAGTTGCCGGATTACATTGTTCTCCCGGTGTGCGGCGTGAGCTTCCCCCACC
CGAGCGCCCAACAAGTCTCCTTTCTCCAGCCTGCGCGCTGCTGCGCTGAGGCCGAATGAA
GCGCAGCACGGTGCGGGCAGCCCCGAGGCCCGAGGCTGGGCTCTGTCTGTCTGGGACTGC
10 GCCGTGCCCAGCCTCGGTCCCCCTCTGTGGGTAAGGATGGTTGAGTCCAGCCTCCACGG
CAGCGGCTCCTTGTGCCACTAGCAGCCCTTCTTCTGCGCTCTCCGCCTTTTCTCTCTAGAC
TGGATCTCTCCTCCCCCGCGCCCCCTCCCCGCATCTCCCACTCGCTGGCTCTCTCTCCA
GCTGCCTCCTCTCCAGGTCTCTCCTGGCTGCGCGCTCCTCTCCCCGCTTCTCCCCCTCCC
GCAGCCTCGCCGCTTGGTGCCCTTCTGCCCCGCTCGGCCGGCGCTCGTCCCCGGCCCCG
15 GCCCCGCCAGCCCCGGTCTCCGCGCTCGGAGCAGCTCAGCCCTGCAGTGGCTCGGGACCC
GATGCTATGAGAGGGAAGCGAGCCGGGCGCCAGACCTTCAGGAGGCGTCGGATGCGCG
GCGGGTCTTGGGACCGGGCTCTCTCTCCGGCTCGCCTTGGCCTCGGGTGATTATTTGGCTC
CGCTCATAGCCCTGCCTTCTCGGAGGAGCCATCGGTGTGCGGTGCGTGTGGAGTATCTG
CAGACATGACTGCGTGGAGGAGATTCCAGTCGCTGCTCCTGCTTCTCGGGCTGCTGGTGC
20 TGTGCGCGAGGCTCCTCACTGCAGCGAAGGGTCAGAACTGTGGAGGCTTAGTCCAGGGTC
CCAATGGCACTATTGAGAGCCCAGGGTTTCTCAGGGGTATCCGAACTATGCCAACTGCA
CCTGGATCATCATCAGGGCGAGCGCAATAGGATACAGTTGTCTTCCATACCTTTGTCTCT
TGAAGAAGATTTTGATATTTTATCAGTTTACGATGGACAGCCTCAACAAGGGGAATTTAAA
AGTGAGATTATCGGGATTTTCACTGCCCCCTCTATAGTGAGTACAGGATCTATCCTCACT
25 CTGTGGTTACGACAGACTTCGCTGTGAGTGCCCCAAGGTTTCAAAGCATTATATGAAGTT
TTACCTAGCCACACTTGTGGAAATCCTGGAGAAATCCTGAAAGGAGTTCTGCATGGAACG
AGATTCAACATAGGAGACAANATCCGGTACAGCTGCCTCCCTGGCTACATCTTGGAAAGGC
CACGCCATCCTGACCTGCATCGTCAGCCCAGGAAATGGTGCATCGTGGGACTTCCCAGCT
CCCTTTTGCAGAGCTGAGGGAGCCTGCGGAGGAACCTTACGCGGGACCAGCAGCTCCATC
TCCAGCCCCGCACTTCCCTTCAAGTACGAGAACAACGCGGACTGCACCTGGACCATTCTG
30 GCTGAGCCCCGGGACACCAATTGCGCTGGTCTTCACTGACTTTCAGCTAGAAGAAGGATAT
GATTTCTTAGAGATCAGTGGCACGGAAGCTCCATCCATATGGCTAACTGGCATGAACCTC
CCCTCTCCAGTTATCAGTAGCAAGAATTGGCTACGACTCCATTTACCTCTGACAGCAACC
ACCGACGCAAAGGATTTAACGCTCAGTTCCAAGTGAAAAAGGCGATTGAGTTGAAGTCA
AGAGGAGTCAAGATGCTGCCCAGCAAGGATGGAAGCCATAAAAACTCTGTCTTGAGCCA
35 AGGAGGTGTTGCATTGGTCTCTGACATGTGTCCAGATCCTGGGATTCCAGAAAAATGGTAG
AAGAGCAGGTTCCGACTTCAGGGTTGGTGCAAATGTACAGTTTTCATGTGAGGACAATTA
CGTGCTCCAGGGATCTAAAAGCATCACCTGTACAGAGTTACAGAGACGCTCGCTGCTTG
GAGTGACCACAGGCCCATCTGCCGAGCGAGAACATGTGGATCCAATCTGCGTGGGCCAG
CGGCGTCAATTACCTCCCTAATTATCCGGTTCAGTATGAAGATAATGCACACTGTGTGTG
40 GGTATCACCACCCGACCCGAGCAAGGTATCAAGCTTGCCTTNGAAGAGTTTGAGCT
GGAGCGAGGCTATGACACCCTNACGGTTGGTGATGCTGGGAAGGTGGGAGACACCAGAT
CGGTCTTGTANGTGCTCACGGGATCCAGTGTCTGACCTCATTGTGAGCATGAGCAACC
AGATGTGGCTACATCTGCAGTCGGATGATAGCATTGGCTCACCTGGGTTTAAAGCTGTTT
ACCAAGAAATTGAAAAGGGAGGGTGTGGGGATCCTGGAATCCCCGCCTATGGGAAGCGG
45 ACGGGCAGCAGTTTCTCCATGGAGATNCACTNACCTTTGAATGCCCGCGGCCTTTGAG
CTGGTGGGGGAGAGAGTTATCACCTGTCAGCAGAACAAATCAGTGGTCTGGCAACAAGCCC
AGCTGTGTATTTTCATGTTTCTTCAACTTTACGGCATCATCTGGGATTATTCTGTACCAA
ATTATCCAGAGGAATATGGGAACAACATGAACTGTGTCTGGTTGATTATCTCGGAGCCAG
GAAGTCGAATTCACCTAATCTTTAATGATTTTGATGTTGAGCCTCAATTTGACTTTCTCGC
50 GGTCAAGGATGATGGCATTCTGACATAACTGTCTGGGTACTTTTCTGGCAATGAAGT
GCCTTCCCAGCTGGCCAGCAGTGGGCATATAGTTGCTTGGAAATTCAGTCTGACCATTCC
ACTACTGGCAGAGGGTTNAACATCACTTACACCACNTTGGTCAAGATGAGTGCCATGAT
CCTGGCATTCTATAAACGGACGACGTTTTGGTGACAGGTTTCTACTCGGGAGCTCGGTT
TCTTTCCACTGTGATGATGGCTTTGTCAAGACCCAGGGATCCGAGTCCATTACCTGCATAC
55 TGCAAGACGGGAACGTGGTCTGGAGCTCCACCGTGCCCCGCTGTGAAGCTCCATGTGGTG
GACATCTGACAGCGTCCAGCGGAGTCATTTGCCTCCTGGATGGCCAGGATATTATAAGG
ATTCTTTACATTGTGAATGGATAATTGAAGCAAAACCAGGCCACTCTATCAAAATAACTT

TTGACAGATTTTCAGACAGAGGTCAATTATGACACCTTGGAGGTCAGAGATGGGCCAGCCA
 GTTCGTCCCCACTGATCGGCGAGTACCACGGCACCCAGGCACCCAGTTCCTCATCAGCA
 CCGGGAACCTTCATGTACCTGCTATTACCACTGACAACAGCCGCTCCAGCATCGGCTTCCT
 CATCCACTATGAGAGTGTGACGCTTGAGTCGGATTCTGCTGGACCCGGGCATCCCTGT
 5 GAACGGCCATCGCCACGGTGGAGACTTTGGCATCAGGTCCACAGTGACTTTCAGCTGTGA
 CCCGGGGTACACACTAAGTGACGACGAGCCCTCGTCTGTGAGAGGAACCACAGTGGA
 ACCACGCCTTGCCAGCTGCGACGCTCTATGTGGAGGCTACATCCAAGGGAAGAGTGGA
 CAGTCCCTTCTCCTGGGTTTCCAGATTTTATCCAAACTCTCTAACTGCACGTGGACCAT
 TGAAGTGTCTCATGGGAAAGGAGTTCAAATGATCTTTCACACCTTTCATCTTGAGAGTTC
 10 CACGACTATTTACTGATCACAGAGGATGGAAGTTTTTCCGAGCCCGTTGCCAGGCTCACC
 GGGTCGGTGTGCTCATACGATCAAGGCAGGCCTGTTNGGAAACTTCACTGCCAGCTT
 CGGTTTATATCAGACTTCTCAATTTCTGACGAGGGCTTCAATATCACATTTTCAGAATATG
 ACCTGGAGCCATGTGATGATCCTGGAGTCCCTGCCTTCAGCCGAAGAATTGGTTTTCACTT
 TGGTGTGGGAGACTCTCTGACGTTTTCTGCTTCTGCGGATATCGTTTAGAAGGTGCCACC
 15 AAGCTTACCTGCCTGGGTGGGGGCCCGCGTGTGTGGAGTGCACCTCTGCCAAGGTGTGTG
 GCCGAATGTGGAGCAAGTGTCAAAGGAAATGAAGGAACATTACTGTCTCCAAATTTTCCA
 TCCAATTATGATAATAACCATGAGTGTATCTATAAAATAGAAACAGAAGCCGGCAAGGGC
 ATCCACCTTAGAACACGAAGCTTCCAGCTGTTTGAAGGAGATACTCTAAAGGTATATGAT
 GGAAAAGACAGTTTCCTCACGTCCACTGGGCACGTTCACTAAAAATGAACTTCTGGGGCTG
 20 ATCCTAAACAGCACATCCAATCACCTGTGGCTAGAGTTCAACACCAATGGATCTGACACC
 GACCAAGGTTTTCAACTCACCTATACGATTTTGTATCTGGTAAATGTGAGGATCCGGGC
 ATCCCTAAGTACGGCTATAGGATCCGTGATGAAGGCCACTTTACCGACACTGTAGTTCTG
 TACAGTTGCAACCCGGGTACGCCATGCATGGCAGCAACACCCTGACCTGTTTGAGTGA
 GACAGGAGAGTGTGGGACAAACCACTACCTTCGTGCATAGCGGAATGTGGTGGTCAGAT
 25 CCATGCAGCCACATCAGGACGAATATTGTCCCCTGGCTATCCAGCTCCGTATGACAACAA
 CCTCCACTGCACCTGGATTATAGAGGCAGACCCAGGAAAGACCATTAGCCTCCATTTTCAT
 TGTTTTTCGACACGGAGATGGCTCACGACATCCTCAAGGTCTGGGACGGGCGGTGGACAG
 TGACATCCTGCTGAAGGAGTGGAGTGGCTCCGCCCTTCCGGAGGACATCCACAGCACCTT
 CAACTCACTCAECCTGCAGTTCGACAGCGACTTCTTCATCAGCAAGTCTGGCTTCTCCATC
 30 CAGTTCTCCACCTCAATTGCAGCCACCTGTAACGATCCAGGTATGCCCCAAATGGCACC
 CGCTATGGAGACAGCAGAGAGGCTGGAGACACCGTCACATTCAGTGTGACCCTGGCTAT
 CAGCTCCAAGGACAAGCCAAATCACCTGTGTGCAGCTGAATAACCGGTTCTTTTGCAA
 CCAGACCCCTCATATGCATAGCTGCTGTGGAGGAACTGACGGGCCAGCAGGTGTT
 ATTTTGTACCCCACTACCCACAGCCGTATCCTCCTGGGAAGGAATGTGACTGAGAGAGTA
 35 AAAGTGAACCCGACTTTGTATCGCCTTGATATTCAAAGTTTTCAACATGGAGCCAGC
 TATGACTTCTTACACATCTATGAAGGGGAAGATTCCAACAGCCCCCTCATTGGGAGTTAC
 CAGGGCTCTCAGGCCCCAGAAAGAAATAGAGAGTAGCGGAAACAGCCTGTTTCTGGCATTT
 CGGAGTGATGCCTCCGTGGGCCTTTTCAGGGTTCGCCATTGAATTTAAAGAGAAACCACGG
 GAAGCTTGTTTTGACCCAGGAAATATAATGAATGGGACAAGAGTTGGAACAGACTTCAAG
 40 CTTGGCTCCACCATCACCTACCACTGAGTGTGACTCTGGCTATAAGATTCTTGACCCCTCATCCA
 TCACCTGTGTGATTGGGGCTGATGGGAAACCTCCTGGGACCAAGTGCTGCCCTCCTGCA
 ATGCTCCCTGTGGAGGCCAGTACACGGGATCAGAAGGGGTAGTTTTATCACCAAACCTACC
 CCCATAATTACACAGCTGGTCAAATATGCCTCTATTCCATCACGGTACCAAAGGAATTCTG
 TGGTCTTTGGACAGTTTGCCTATTTCCAGACAGCCCTGAATGATTTGGCAGAATTATTTGA
 45 TGGAACCCATGCACAGGCCAGACTTCTCAGCTCACTCTCGGGGTCTCACTCAGGGGAAAC
 ATTGCCCTTGGCTACGTCAAATCAAATCTGCTCCGATTCAAGTGAAGAGCGGTGCCTCT
 GCCCGCGGCTTCCACTTCGTGTATCAAGCTGTTCTCGTACCAGTGACACCCAATGCAGCT
 CTGTCCCGAGCCCCAGATACGGAAGGAGAATTGGTTCTGAGTTTCTGCCGGCTCCATCG
 TCCGATTGAGTGCAACCCGGGATACCTGCTTCAGGGTTCACGGCGCTCCACTGCCAGT
 50 CCGTGCCCAACGCCTTGGCACAGTGGAACGACACGATCCCCAGCTGTGTGGTACCCTGCA
 GTGGCAATTTCACTCAACGAAGAGGTACAATCCTGTCCCCCGCTACCCTGAGCCATACG
 GAAACAACCTTGAAGTGTATATGGAAGATCATAGTTACGGAGGGCTCGGGAATTCAGATCC
 AAGTGATCAGTTTGGCACGGAGCAGAAGTGGGACTCCCTTGAGATCCACGATGGTGGGG
 ATGTGACCGCACCCAGACTGGGAAGCTTCTCAGGCACCACAGTACCGGCACTGCTGAACA
 55 GTACTTCCAACCAACTCTACCTGCATTTCCAGTCTGACATTAGTGTGGCAGCTGCTGGTTT
 CCACCTGGAATACAAAACCTGTAGGTCTTGCTGCATGCCAAGAACCAGCCCTCCCCAGCAA
 CAGCATCAAAATCGGAGATCGGTACATGGTGAACGACGTGCTCTCCTTCCAGTGCGAGCC

CGGGTACACCCTGCAGGGCCGTTCCACATTTCTGTATGCCAGGGACCGTTCGCCGTTG
GAACTATCCGTCTCCCTGTGCATTGCAACCTGTGGAGGGACGCTGAGCACCTTGGGTGG
TGTGATCCTGAGCCCCGGCTTCCCAGGTTCTTACCCCAACAACCTTAGACTGCACCTGGAG
GATCTCATTACCCATCGGCTATGGTGCACATATTAGTTTCTGAATTTTTCTACCGAAGCT
5 AATCATGACTTCCTTGAAATTCAAAATGGACCTTACCACACCAGCCCCATGATTGGACAA
TTTAGCGGCACGGATCTCCCCGCGGCCCTGCTGAGCACAACGCATGAAACCCTCATCCAC
TTTTATAGTGACCATTGCAAAAACCGGCAAGGATTTAAACTTGCTTACCAAGCCTATGAA
TTACAGAACTGTCCAGATCCACCCCCATTTTCAAGATGGGTACATGATCAACTCGGATTAC
AGCGTGGGGCAATCAGTATCTTTCGAGTGTTATCCTGGGTACATTCTAATAGGCCATCCT
10 GTCCTCACTTGTGAGCATGGGATCAACAGAACTGGAACCTACCCTTTTCCAAGATGTGAT
GCCCCCTGTGGGTACAACGTAACCTTCTCAGAACGGCACCATCTACTCCCCTGGCTTTCCTG
ATGAGTATCCGATCCTGAAGGACTGCATTTGGCTCATCACGGTGCCTCCAGGGCACGGAG
TTTACATCAACTTCACCCTGTTACAGACGGAAGCTGTCAACGATTACATTGCTGTTTGGGA
CGGTCCCGATCAGAACTCACCCCAGCTGGGAGTTTTTCAAGTGGCAACACAGCCCTCGAAAC
15 GCGGTATAGCTCCACCAACCAAGTCCTGCTCAAGTTCCACAGCGACTTTTCAAATGGAGG
CTTCTTTGTCCTCAATTTCCACGGTCAGTTGATTTTCACTCCGTTAGTTAAGACTGAGAAT
TCCATGTGGTGTTTACTGCAGTGTTGTCCACGCCTTGTTTCCAGCTGAAGTTTCTTGATT
CAGCCGAGGGCGTGTATGATTCTTTTGCAGTGGAGGCCAGCGTTTCTGTGGTCTTTTTT
TGTTTAATGATGTCTTTATTATTTACATCGTATCCAGCTTGGATTATTCCAAGATACAT
20 GTATCCTAAGTGAAACTCTAAGATGAAGACCATTGAAAGAGATTGGTACCTTTTATAGA
TTTACTCATCCCTGTCTCAAGATAAGGTGTTATAGCAAATGTCATGTAACATAAATGGTG
TGAAAGCAAACCTCCAATAATCCTGGGAATGCACTCTAAACGATATGTAGAACATCTGTC
AATCNATCGCTTATCTCTCACGAACACN

SEQ ID NO:7

5R2_OC147

5 AGCTTGTGCCCTTTCCACCTGCATTTCTGATCTAAGTTAGGTAGGGGGCTGCTCTCTGGTCAGCAAGG
AAGGGAGATCAAAGGATGGAGGCGGGACTCTGCCCTGCAGAAACCCTCCAGTTTGCTGGAGTTGCCG
GATTACATTGTTCTCCCGGTGTGCGGCGTGAGCTTCCCCACCCGAGCGCCCAACAAGTCTCCTTT
CTCCAGCCTGCGCGCTGCTGCGCTGAGGCCGAATGAAGCGCAGCACGGTGCGGGCAGCCCGAGGCCCC
GAGGCTGGGGCTCTGTCTGTCTGGGACTGCGCCGTGCCAGCCTCGGTCCCCCTCTCTGTGGGTAAAGGAT
GGTTGAGTCCAGCCTCCACGGCAGCGGCTCCTTGTGCCACTAGCAGCCCTTCTTCTGCGCTCTCCGCC
10 TTTTCTCTCTAGACTGGATCTCTCCTCCCCCGCGCCCCCTCCCCGCATCTCCCACTCGCTGGCTCT
CTCTCCAGCTGCTCTCTCTCCAGGTCTCTCCTGGCTGCGCGCGCTCCTCTCCCCGCTTCTCCCCCTCC
CGCAGCCTCGCCGCTTGGTGCCTTCTTCTGCCCGGCTCGGCCGGCGCTCGTCCCCGGCCCCGGCCCCGC
CAGCCCCGGTCTCCGCGCTCGGAGCAGCTCAGCCCTGCAGTGGCTCGGGACCCGATGCTATGAGAGGG
AAGCGAGCCGGGCGCCAGACCTTCAGGAGGCGTCGGATGCGCGGCGGGTCTTGGGACCGGGCTCTCT
15 CTCCGGCTCGCCTTGCCCTCGGGTGATTATTTGGCTCCGCTCATAGCCCTGCCTTCTCGGAGGAGCC
ATCGGTGTGCGTGTGCGTGTGGAGTATCTGCAGACATGACTGCGTGGAGGAGATTCCAGTCGCTGCTCC
TGCTTCTCGGGCTGCTGGTGCTGTGCGCGAGGCTCCTCACTGCAGCGAAGGGTCAGAAGTGTGGAGGC
TTAGTCCAGGGTCCCAATGGCACTATTGAGAGCCAGGGTTTCTCACGGGTATCCGAAGTATGCCAA
20 CTGCACCTGGATCATCATCACGGGCGAGCGCAATAGGATACAGTTGTCTTCCATACCTTTGCTCTTG
AAGAAGATTTTGATATTTTATCAGTTTACGATGGACAGCCTCAACAAGGGAATTTAAAGTGAGATTA
TCGGGATTTAGCTGCCCTCCTCTATAGTGAGTACAGGATCTATCCTCACTCTGTGGTTACGACAGA
CTTCGCTGTGAGTGCCCAAGGTTTCAAAGCATTATATGAAGTTTACCTAGCCACACTTGTGGAAATC
CTGGAGAAATCCTGAAAGGAGTTCTGCATGGAACGAGATTCAACATAGGAGACAAAATCCGGTACAGC
TGCCCTCCCTGGCTACATCTTGAAGGCCACGCCATCCTGACCTGCATCGTCAGCCAGGAAATGGTGC
25 ATCGTGGGACTTCCAGCTCCCTTTTGCAGAGCTGAGGGAGCCTGCGGAGGAACCTTACGCGGGACCA
GCAGCTCCATCTCCAGCCCGCACTTCCCTTCAGAGTACGAGAACAACGCGGACTGCACCTGGACCATT
CTGGCTGAGCCCGGGACACCATTGCGCTGGTCTTCACTGACTTTCAGCTAGAAGAAGGATATGATTT
CTTAGAGATCAGTGGCACGGAAGCTCCATCCATATGGCTAACTGGCATGAACCTCCCCTCTCCAGTTA
TCAGTAGCAAGAATTGGCTACGACTCCATTTACCTCTGACAGCAACCACCGACGCAAGGATTTAAC
30 GCTCAGTTCCAAGTGAAAAAGGCGATTGAGTTGAAGTCAAGAGGAGTCAAGATGCTGCCAGCAAGGA
TGGAAGCCATAAAAACCTCTGTCTGTGAGTCCCTTTCTTTCTATCTGAGGATTGATACGCCCTTGTA
GCAGAGGAGAGAATGGAGCAGTG

SEQ ID NO:8

5R2_AW

5 AGCTTGCGCCCTTCCACCTGCATTTCTGATCTAAGTTAGGTAGGGGGCTGCTCTCTGGTCAGCAAGG
AAGGGAGATCAAAGGATGGAGGCGGGACTCTGCCCCCTGCAGAAACCTCCAGTTTGCTGGAGTTGCCG
GATTACATTGTTCCCTCCCCGGTGTGCGGCGTGAGCTTCCCCACCCGAGCGCCCAAGTCTCCTTT
CTCCAGCCTGCGCGCTGCTGCGCTGAGGCCGAATGAAGCGCAGCACGGTGCGGGCAGCCCGAGGCCCC
GAGGCTGGGCTCTGTCTGTCTGGGACTGCGCCGTGCCAGCCTCGGTCCCCTCTCTGTGGGTAAAGGAT
10 GGTGAGTCCAGCCTCCACGGCAGCGGCTCCTTGTGCCACTAGCAGCCCTTCTTCTGCGCTCTCCGCC
TTTTCTCTCTAGACTGGATCTCTCCTCCCCCGCGCCCCCTCCCCGCATCTCCCACTCGCTGGCTCT
CTCTCCAGCTGCCTCCTCTCCAGGTCTCTCCTGGCTGCGCGCGCTCCTCTCCCCGCTTCTCCCCCTCC
CGCAGCCTCGCCGCTTGGTGCCTTCCTGCCGGCTCGGCCGGCGCTCGTCCCCGGCCCCGGCCCCGC
CAGCCCGGGTCTCCGCGCTCGGAGCAGCTCAGCCCTGCAGTGGCTCGGGACCCGATGCTATGAGAGGG
AAGCGAGCCGGGCGCCAGACCTTCAGGAGGCGTGGATGCGCGCGGGTCTTGGGACCGGGCTCTCT
15 CTCCGGCTCGCCTTGCCCTCGGGTGATTATTTGGCTCCGCTCATAGCCCTGCCTTCTCGGAGGAGCC
ATCGGTGTCGCGTGCGTGTGGAGTATCTGCAGACATGACTGCGTGGAGGAGATTCCAGTCGCTGCTCC
TGCTTCTCGGGCTGCTGGTGCTGTGCGCGAGGCTCCTCACTGCAGCGAAGGGTCAGAACTGTGGAGGC
TTAGTCCAGGGTCCCAATGGCACTATTGAGAGCCCAGGGTTTCTCACGGGTATCCGAACATATGCCAA
20 AAGAAGATTTTGATATTTTATCAGTTTACGATGGACAGCCTCAACAAGGGAATTTAAAGTGAGATTA
TCGGGATTTAGCTGCCCTCCTCTATAGTGAGTACAGGATCTATCCTCACTCTGTGGTTACGACAGA
CTTCGCTGTGAGTGCCCAAGGTTTCAAAGCATTATATGAAGTTTACCTAGCCACACTTGTGGAAATC
CTGGAGAAATCCTGAAAGGAGTTCTGCATGGAACGAGATTCAACATAGGAGACAAAATCCGGTACAGC
TGCTTCCCTGGCTACATCTTGAAGGCCACGCCATCCTGACCTGCATCGTCAGCCAGGAAATGGTGC
25 ATCGTGGGACTTCCCAGCTCCCTTTTGCAGAGCTGAGGGAGCCTGCGGAGGAACCTTACGCGGGACCA
GCAGCTCCATCTCCAGCCCGCACTTCCCTTCAGAGTACGAGAACAACGCGGACTGCACCTGGACCATT
CTGGCTGAGCCCGGGGACACCATTGCGCTGGTCTTCACTGACTTTCAGCTAGAAGAAGGATATGATTT
CTTAGAGATCAGTGGCACGGAAGCTCCATCCATATGGCTAACTGGCATGAACCTCCCCTCTCCAGTTA
30 TCAGTAGCAAGAATTGGCTACGACTCCATTTACCTCTGACAGCAACCACCGACGCAAGGATTTAAC
GCTCAGTTCCAAGTGAAAAAGGCGATTGAGTTGAAGTCAAGAGGAGTCAAGATGCTGCCAGCAAGGA
TGGAAGCCATAAAAACCTCTGTCTGGCATCAGCAAGAGTTCAGCAAGTGCAGGAAGAAAAAGAGAGAGA
TCATGACAAGGAATGGGAGAATTTCCCTGACAGCCTCAGGAACTTGCAGTTTGATAATTAAACAGAT
CAAGGTCACTCAGATGAGCTGATGGGACATGCTGTGTACGGAGGAGCATTTGCAGTTACAACACTTTG
35 TAGCCATGCAGGATGGGGCAATTAATCCAGAACCATTATTTAATAAAAAGATGATTTTTTAAATGTGA
AA

SEQ ID NO:9

protein sequence
>ORF:121..5598 Frame +1

5
10
15
20
25
30

MEAIKTLSGIWNINHVVTSEEDTFIMYLGKPWLQVKIQVSQGGVALVSDMCPDPGIPENGRRAGSDFR
VGANVQFSCEDNYVLQGSKSITCQRTVETLAAWS DHRPICRARTCGSNLRGPSGVITSPNYPVQYEDN
AHCVVVITTTDPDKVIKLAFEFELELERYDTLTVGDAKVG DTRSVLYVLTGSSVPDLIVSMSNQMWL
HLQSDDSIGSPGFKAVYQEIEKGGCGDPGIPAYGKRTGSSFLHGD TLTFECPAAFELVGERVITCQQN
NQWSGNKPCSVFSCFFNFTASSGIILSPNYPEEYGNMNCVWLI ISEPGSRIHLIFNDFDVEPQDFDL
AVKDDGISDITVLGTFSGNEVPSQLASSGHIVRLEFQSDHSTTGRGFNITYTTFGQNECHDPGIPING
RRFGDRFLLGSSVSFHCDDGFVKTQGSSEITCILQDGNVWVSSTVPRCEAPCGGHLTASSGVILFPGW
PGYYKDSLHCEWII EAKPGHSIKITFDRFQTEVNYDTLEVRDGPASSSPLIGEYHGTQAPQFLISTGN
15 FMYLLFTT DNSRSSIGFLIHYESVTLES DCLDPGIPVNGHRHGGDFGIRSTVTFSCDPGYTLSDDEP
LVCERNHQWNHALPSCDALCGGYIQGKSGTVLSPGFDPDFYPNSL NCTWTIEVSHGKGVQMI FHTFHLE
SSH DYLLITEDGSFSEPVARLTGSVLPHTIKAGLFGNFTAQLRFISDFSISYEGFNITFSEYDLEPCD
DPGVPAFSRRIGFHFVGDSLTFSCFLGYRLEGATKLTCLGGGRVWSAPLPRCVAECGASVKGNEG
20 LLSPNFPSNYDNNHECIYKIETEAGKGIHLRTRSFQLFEGDTLKVYDGKDSSSRPLGFTTKNELLGLI
LNSTSNHLWLEFNTNGSDTDQGFQLTYTSFDLVKCEDPGIPNYGYRIRDEGHFTDTVVLYSCNPGYAM
HGSNTLTCLSGDRRVWDKPLPSCIAECGGQIHAATSGRILSPGY PAPYDNNLHCTWII EADPGKTISL
HFIVFDTEMAHDILKVWDGPVDS DILLKEWSGSALPEDIHSTFNSLT LQFDSDF FISKSGFSIQFSTS
IAATCNDPGMPQNGTRYGDSREAGDTVTFQCDPGYQLQGQAKITCVQLNNRFFWQPDPTCIAACGGN
25 LTGPAGVILSPNYPQPYPPGKECDWRVKVNPDEFVIALI FKSFNMEPSYDFLHIYEGEDSNSPLIGSYQ
GSQAPERIESSGNSLFLAFRSDASVGLSGFAIEFKEKPREACFDPGNIMNGTRVGTDFKLGSTITYQC
DSGYKILD PSSITCVIGADGKPSWDQVLPSCNAPCGGQYTGSEGVVLSPNYPHNYTAGQICLYSITVP
KEFVVFGQFAYFQTALNDLAE LFDGTHAQARLLSSLGSHSGETLPLATSNQILLRFS AKSGASARGF
HFVYQAVPRTSDTQCSSVPEPRYGRRI GSEFSAGSIVRFECPNGYLLQGSTALHCSVPNALAQWNDT
IPSCVVPCSGNFTQRRGTILSPGYPEPYGNLNCIWKIIVTEGSGIQIQVISFATEQNWD SLEIHDGG
30 DVTAPRLGSFSGTTVPALLNSTSNQLYLHFQSDISVAAAGFHLEYKTVGLAACQEPALPSNSIKIGDR
YMNVDVLSFQCEPGYTLQGRSHISCMPTVRRWNYPSPLCIATCGGTLSTLGGVILSPGFPGSYPNNL
DCTWRISLPIGYGAHIQFLNFSTEANHDFLEIQNGPYHTSPMIGQFSGTDLP AALLSTTHETLIHFYS
DHSQNRQGFKLAYQAYELQNC PDPPPFQNGYMINSDYSVGSVSFECPYGYILIGHPP

SEQ ID NO:10

	5G-3V1 Protein sequence	1801 AA
	1 MEAIKTLSGI WNNINHVTSE	EDTFIMYL GK PWLQVKIQVS QGGVALVS DM
5	51 CPDPGIPENG RRAGSDFRVG	ANVQFSCEDN YVLQGSKSIT CQRVTETLAA
	101 WSDHRPICRA RTCGSNLRGP	SGVITSPNYP VQYEDNAHCV WVITTTDPDK
	151 VIKLAFEEFE LERGYDTLTV	GDAGKVG DTR SVLYVLTGSS VPD LIVSMSN
	201 QMWLHLQSDD SIGSPGFKAV	YQEIEKGGCG DPGIPAYGKR TGSSFLHGDT
	251 LTFECPAAFE LVGERVITCQ	QNNQWSGNKP SCVFSCFFNF TASSGIILSP
10	301 NYPEEYGNM NCVWLIISEP	GSRIHLIFND FDVEPQFDL AVKDDGISDI
	351 TVLGTFSGNE VPSQLASSGH	IVRLEFQSDH STTGRGFNIT YTTFGQNECH
	401 DPGIPINGRR FGDRFLLGSS	VSFHCDDGFV KTQGSSESITC ILQDGNVWS
	451 STVPRCEAPC GGHLTASSGV	ILPPGWPGYY KDSLHCEWII EAKPGHSIKI
	501 TFDRFQTEVN YDTLEVRDGP	ASSSPLIGEY HGTQAPQFLI STGNFMYLLF
15	551 TTDNSRSSIG FLIHYESVTL	ESDSCLDPGI PVNGHRHGGD FGIRSTVTFS
	601 CDPGYTLSDD EPLVCERNHQ	WNHALPSCDA LCGGYIQGKS GTVLS PGFPD
	651 FYPNSLNCTW TIEVSHGKGV	QMIFHTFHLE SSHDYLLITE DGSFSEPVAR
	701 LTGSVLPHTI KAGLFGNFTA	QLRFISDFSI SYEGFNITFS EYDLEPCDDP
	751 GVPAFSRRIG FHFGVGDSL	T FSCFLGYRLE GATKLTCLGG GRRVWSAPLP
20	801 RCVAECGASV KNEGTLTLLSP	NFPSNYDNNH ECIYKIETEA GKGIHLRTS
	851 FQLFEGDTLK VYDGKDSSSR	PLGTFTKNEL LGLILNSTSN HLWLEFNTNG
	901 SDTDQGFQLT YTSFDLVKCE	DPGIPNYGYR IRDEGHFTDT VVLYSCNPGY
	951 AMHGSNTLTC LSGDRRVWDK	PLPSCIAECG GQIHAATSGR ILSPGY PAPY
	1001 DNNLHCTWII EADPGKTISL	HFIVFDTEMA HDILKVWDGP VDS DILLKEW
25	1051 SGSALPEDIH STFNSLT LQF	DSDF FISKSG FSIQFST SIA ATCNDPGMPQ
	1101 NGTRYGDSRE AGDVTTFQCD	PGYQLQGQAK ITCVQLNNRF FWQPD PPTCI
	1151 AACGGNLTGP AGVILSPNYP	QPYPPGKECD WRVKVNP D FV IALIFKSFNM
	1201 EPSYDFLHIY EGEDSNSPLI	GSYQGSQAPE RIESSGNSLF LAFRSDASVG
	1251 LSGFAIEFKE KPREACFDPG	NIMNGTRVGT DFKLGSTITY QCDSGYKILD
30	1301 PSSITCVIGA DGKPSWDQVL	PSCNAPCGGQ YTGSEGVVLS PNYPHNYTAG
	1351 QICLYSITVP KEFVVFGQFA	YFQTALNDLA ELFDGTHAQA RLLSSLSGSH
	1401 SGETLPLATS NQILLRFS AK	SGASARGFHF VYQAVPRTSD TQCSSVPEPR
	1451 YGRRIGSEFS AGSIVRFECN	PGYLLQGSTA LHCQSVPNAL AQWNDTIPSC
	1501 VVPCSGNFTQ RRG TILSPGY	PEPYGNLNC IWKIIIVTEGS GIQIQVISFA
35	1551 TEQNWDSLEI HDGGDVTAPR	LGSFSGTTVP ALLNSTSNQL YLHFQSDISV
	1601 AAAGFHLEYK TVGLAACQEP	ALPSNSIKIG DRYMVNDVLS FQCEPGYT LQ
	1651 GRSHISCM PG TVRRWNY P SP	LCIATCGGTL STLGGVILSP GFP GSYPNNL
	1701 DCTWRISLPI GYGAHIQFLN	FSTEANHDFL EIQNGPYHTS PMIGQFSGTD
	1751 LPAALLSTTH ETLIHFYS DH	SQNRQGFKLA YQGMEQ QREP KPKSKYTSYM
40	1801 *	

SEQ ID NO:11

	5G-3V2 Protein sequence	2009 AA
	1 MEAIKTLSGI WNNINHVTSE	EDTFIMYL GK PWLQVKIQVS QGGVALVSDM
5	51 CPDPGIPENG RRAGSDFRVG	ANVQFSCEDN YVLQGSKSIT CQRVTETLAA
	101 WSDHRPICRA RTCGSNLRGP	SGVITSPNYP VQYEDNAHCV WVITTTDPDK
	151 VIKLAFEEFE LERGYDTLTV	GDAGKVG DTR SVLYVLTGSS VPD LIVSMSN
	201 QMWLHLQSDD SIGSPGFKAV	YQEIEKGGCG DPGIPAYGKR TGSSFLHGDT
	251 LTFECPAAFE LVGERVITCQ	QNNQWSGNKP SCVFSCFFNF TASSGIILSP
10	301 NYPEEYGNM NCVWLIIEP	GSRIHLIFND FDVEPQFDFL AVKDDGISDI
	351 TVLGTFSGNE VPSQLASSGH	IVRLEFQSDH STTGRGFNIT YTTFGQNECH
	401 DPGIPINGRR FGDRELLGSS	VSFHCDDGFV KTQGESITC ILQDGNVWS
	451 STVPRCEAPC GGHLTASSGV	ILPPGWPGY KDSLHCEWII EAKPGHSIKI
	501 TFDREQT EVN YDTLEV RDGP	ASSSPLIGEY HGTQAPQFLI STGNFMYLLF
15	551 TTDNSRSSIG FLIHYESVTL	ESDSCLDPGI PVNGHRHGGD FGIRSTVTF
	601 CDPGYTLSD EPLVCERNHQ	WNHALPSCDA LCGGYIQGKS GTVLSPGFPD
	651 FYPNSLNCTW TIEVSHGKGV	QMI FHTFHLE SSHDYLLITE DGSFSEPVAR
	701 LTGSVLPHTI KAGLFGNFTA	QLRFISDFSI SYEGFNITFS EYDLEPCDDP
	751 GVPFASRRIG FHFVGDSL	T FSCFLGYRLE GATKLTCLGG GRRVWSAPLP
20	801 RCVAECGASV KNEGTLTLLSP	NFPSNYDNNH ECIYKIETEA GKGIHLRTRS
	851 FQLFEGDTLK VYDGKDSSSR	PLGTFTKNEL LGLILNSTSN HLWLEFNTNG
	901 SDTDQGFQLT YTSFDLVKCE	DPGIPNYGYR IRDEGHFTDT VVLYSCNPGY
	951 AMHGSNTLTC LSGDRRVWDK	PLPSCIAECG GQIHAATSGR ILSPGYPAPY
	1001 DNNLHCTWII EADPGKTISL	HFIVFDTEMA HDILKVWDGP VDS DILLKEW
25	1051 SGSALPEDIH STFNSLTLLQF	DSDFFISKSG FSIQFSTIA ATCNDPGMPQ
	1101 NGTRYGDSRE AGDVTVTFQCD	PGYQLQGQAK ITCVQLNNRF FWQPDPTCI
	1151 AACGGNL TGP AGVILSPNYP	QPYPPGKECD WRVKVNPDFV IALIFKSFNM
	1201 EPSYDFLHIY EGEDSNSPLI	GSYQGSQAP E RIESSGNSLF LAFRSDASVG
	1251 LSGFAIEFKE KPREACFDPG	NIMNGTRVGT DFKLGSTITY QCDSGYKILD
30	1301 PSSITCVIGA DGKPSWDQVL	PSCNAPCGGQ YTGSEGVVLS PNYPHNYTAG
	1351 QICLYSITVP KEFVVFGQFA	YFQTALNDLA ELFDGTHAQA RLLSSLGSH
	1401 SGETLPLATS NQILLRFSAK	SGASARGFHF VYQAVPRTSD TQCSSVPEPR
	1451 YGRRIGSEFS AGSIVRFECN	PGYLLQGSTA LHCQSVPNAL AQWNDTIPSC
	1501 VVPCSGNFTQ RRG TILSPGY	PEPYGNLNC IWKIIIVTEGS GIQIQVISFA
35	1551 TEQNWDSLEI HDGGDV TAPR	LGSFSGTTVP ALLNSTSNQL YLHFQSDISV
	1601 AAAGFHLEYK TVGLAACQEP	ALPSNSIKIG DRYMVNDVLS FQCEPGYTLO
	1651 GRSHISCM PG TVRRWNYPSP	LCIATCGGTL STLGGVILSP GFPGSYPNL
	1701 DCTWRISLPI GYGAHIQFLN	FSTEANHDFL EIQNGPYHTS PMIGQFSGTD
	1751 LPAALLSTTH ETLIHFYS DH	SQNRQGFKLA YQAYELQNC P DPPPFGNGYM
40	1801 INSDYSVGQS VSFECYPGYI	LIGH PVLTCQ HGINRNWNYP FPRCDAPCGY
	1851 NVTSQNGTIY SPGFPDEYPI	LKDCIW LITV PPGHGVYINF TLLQTEAVND
	1901 YIAVWDGPDQ NSPQLGVFSG	NTALETAYSS TNQVLLKFHS DFSNGGFFVL
	1951 NFHQQLIFTF LVKTENSMWC	LLQCCPTPCF QLKFLDSAEG VYDSFALEAS
	2001 VSCGPFV*	

SEQ ID NO:12

56-3V3 Protein sequence 1784 AA

1	MEAIKTLSGI	WNNINHVTS	EDTFIMYL GK	PWLQVKIQVS	QGGVALVSDM
5	51	CPDPGIPENG	RRAGSDFRVG	ANVQFSCEDN	YVLQGSKSIT
101	101	WSDHRPICRA	RTCGSNLRGP	SGVITSPNYP	VQYEDNAHCV
151	151	VIKLAFEEFE	LERGYDTLTV	GDAGKVGDT	SVLYVLTGSS
201	201	QMWLHLQSD	SIGSPGFKAV	YQEI EKGGCG	DPGIPAYGKR
251	251	LTFECPAAFE	LVGERVITCQ	QNNQWSGNKP	SCVFSCFFNF
10	301	NYPEEYGNM	NCVWLIISEP	GSRIHLIFND	FDVEPQFDFL
351	351	TVLGTFSGNE	VPSQLASSGH	IVRLEFQSDH	STTGRGFNIT
401	401	DPGIPINGRR	FGDRFLLGSS	VSFHCDDGFV	KTQGSSESITC
451	451	STVPRCEAPC	GGHLTASSGV	ILPPGWPGYY	KDSLHCEWII
501	501	TFDRFQTEVN	YDTLEVRDGP	ASSSPLIGEY	HGTQAPQFLI
15	551	TTDNSRSSIG	FLIHYESVTL	ESDSCLDPGI	PVNGHRHGGD
601	601	CDPGYTLSDD	EPLVCERNHQ	WNHALPSCDA	LCGGYIQGKS
651	651	FYPNSLNCTW	TIEVSHGKGV	QMIFHTFHLE	SSHDYLLITE
701	701	LTGSVLPHTI	KAGLFGNFTA	QLRFISDFSI	SYEGFNITFS
751	751	GVPAFSRRIG	FHFGVGDLSL	FSCFLGYRLE	GATKLTCLGG
20	801	RCVAECGASV	KGNEGTLTSP	NFPSNYDNNH	ECIYKIETEA
851	851	FQLFEGDTLK	VYDGKDSSSR	PLGTFTKNEL	LGLILNSTSN
901	901	SDTDQGFQLT	YTSFDLVKCE	DPGIPNYGYR	IRDEGHFTDT
951	951	AMHGSNTLTC	LSGDRRVWDK	PLPSCIAECG	GQIHAATSGR
1001	1001	DNNLHCTWII	EADPGKTISL	HFIVFDTEMA	HDILKVWDGP
25	1051	SGSALPEDIH	STFNSLTLQF	DSDFFIKSG	FSIQFSTSLA
1101	1101	NGTRYGDSRE	AGDTVTFQCD	PGYQLQGQAK	ITCVQLNNRF
1151	1151	AACGGNLTGP	AGVILSPNYP	QPYPPGKECD	WRVKVNPDFV
1201	1201	EPSYDFLHIY	EGEDSNSPLI	GSYQGSQAPE	RIESSGNSLF
1251	1251	LSGFAIEFKE	KPREACFDPG	NIMNGTRVGT	DFKLGSTITY
30	1301	PSSITCVIGA	DGKPSWDQVL	PSCNAPCGGQ	YTGSEGVVLS
1351	1351	QICLYSITVP	KEFVVFGQFA	YFQTALNDLA	ELFDGTHAQA
1401	1401	SGETLPLATS	NQILLRFSAK	SGASARGFHF	VYQAVPRTSD
1451	1451	YGRRIGSEFS	AGSIVRFECN	PGYLLQGSTA	LHCQSVPNAL
1501	1501	VVPCSGNFTQ	RRGTILSPGY	PEPYGNNLNC	IWKIIVTEGS
35	1551	TEQNWDSLEI	HDGGDV TAPR	LGSFSGTTVP	ALLNSTSNQL
1601	1601	AAAGFHLEYK	TVGLAACQEP	ALPSNSIKIG	DRYMVNDVLS
1651	1651	GRSHISCM PG	TVRRWNYPSP	LCIATCGGTL	STLGGVILSP
1701	1701	DCTWRISLPI	GYGAHIQFLN	FSTEANHDFL	EIQNGPYHTS
1751	1751	LPAALLSTTH	ETLIHFYS DH	SQNRQGFKLA	YQA*

SEQ ID NO:13

	5R-3V2 Protein sequence	2353 AA
	1 VGCAAGLGTG XSLRLALPSG DYLAFLIALP SSEEPSVSRA CGVSADMTAW	
5	51 RRFQSLLLLL GLLVLCARLL TAAKGQNCGG LVQGPNGTIE SPGFPHGYPN	
	101 YANCTWIIIT GERNRILQSF HTFALEEDFD ILSVYDGQPQ QGNLKVRLSG	
	151 FQLPSSIVST GSILTLWFTT DFAVSAQGFK ALYEVLPSHT CGNPGEILKG	
	201 VLHGTRFNIG DXIRYSCLPG YILEGHAILT CIVSPGNGAS WDFPAPFCRA	
	251 EGACGGTLRG TSSSISSPHF PSEYENNADC TWTILAEPGD TIALVFTDFQ	
10	301 LEEGYDFLEI SGTEAPSIWL TGMNLPSPVI SSKNWRLRLHF TSDSNHRRKG	
	351 FNAQFQVKKA IELKSRGVKM LPSKDGSHKN SVLSQGGVAL VSDMCPDPGI	
	401 PENGRRAGSD FRVGANVQFS CEDNYVLQGS KSITCQRVTE TLAAWSDFRP	
	451 ICRARTCGSN LRGP SGVITS PNYPVQYEDN AHCWVWITTT DPKVIKLAFL	
	501 EEFELERGYD TLTVG DAGKV GDTRSVLYVL TGSSVPDLIV SMSNQMWLHL	
15	551 QSDDSIGSPG FKAVYQEIEK GCGDGP GIPA YGKRTGSSFL HGDXLTFECP	
	601 AAFELVGERV ITCQQNNQWS GNKPSCVFSC FFNF TASSGI ILSPNYPEEY	
	651 GNNMNCVWLI ISEPGSRIHL IFNDFDVEPQ FDFLAVKDDG ISDITVLGTF	
	701 SGNFVPSQLA SSGHIVRLEF QSDHSTTGRG XNITYTTFGQ NECHDPGPIPI	
	751 NGRRFGRFL LGSSVSFHCD GDHVKTQGE SITCILQDGN VVWSSTVPRC	
20	801 EAPCGGHLTA SSGVILPPGW PGYYKDSLHC EWIIEAKPGH SIKITFDRFQ	
	851 TEVNYDTLEV RDGPASSSPL IGEYHGTQAP QFLISTGNFM YLLFTT DNSR	
	901 SSIGFLIHYE SVTLES DSCL DGPFPVNGHR HGGDFGIRST VTFSCDPGYT	
	951 LSDDEPLVCE RNHQWNHALP SCDALCGGYI QGKSGTVLSP GFPDFYPNSL	
25	1001 NCTWTIEVSH GKGVMIFHT FHLESSHLYL LITEDGSFSE PVARLTGSVL	
	1051 PHTIKAGLFG NFTAQLRFIS DFSISYEGFN ITFSEYDLEP CDDPGVPAFS	
	1101 RRIGFHFGVG DSLTFSCFLG YRLEGATKLT CLGGGRRVWS APLPRCVAEC	
	1151 GASVKGNEGTL LSPNFPSNY DNNHECIYKI ETEAGKGIHL RTRSFQLFEG	
	1201 DTLKVYDGKD SSSRPLGTFT KNELLGLILN STSNHLWLEF NTNGSDTDQG	
	1251 FQLTYTSFDL VKCEDPGIPN YGYRIRDEGH FTDTVVLYSC NPGYAMHGSN	
30	1301 TLTCLSGDRR VWDKPLPSCI AECGGQIHAA TSGRILSPGY PAPYDNNLHC	
	1351 TWIIEADPGK TISLHFIVFD TEMAH DILKV WDG PVDSDIL LKEWSGSALP	
	1401 EDIHSTFNSL TLQFDSDFFI SKSGFSIQFS TSAATCNDP GMPQNGTRYG	
	1451 DSREAGDTV FQCDPGYQLQ GOAKITCVQL NNRFFWQDPD PTCIAACGGN	
	1501 LTGPAGVILS PNYPQPYPPG KEC DWRVKVN PDFVIALIFK SFNMEPSYDF	
35	1551 LHIYEGEDSN SPLIGSYQGS QAPERIESSG NSLFLAFRSD ASVGLSGFAI	
	1601 EFKEKPREAC FDPGNIMNGT RVGTDFKLGS TITYQCDSGY KILD PSSITC	
	1651 VIGADGKPSW DQVLPSCNAP CGGQYTGSEG VVLSPNYPHN YTAGQICLYS	
	1701 ITVPKEFVVF GQFAYFQTAL ND LAELFDGT HAQARLLSSL SGSHSGETLP	
	1751 LATSNQILLR FSAKSGASAR GFHFVYQAVP RTSDTQCSSV PEPRYGRRIG	
40	1801 SEFSAGSIVR FECNPGYLLQ GSTALHCQSV PNALAQWNDT IPSCVVPSCG	
	1851 NFTQRRGTIL SPGYPEPYGN NLNCIWKIIV TEGSGIQIQV ISFATEQNWD	
	1901 SLEIHDGGDV TAPRLGSFSG TTVPALLNST SNQLYLHFQS DISVAAAGFH	
	1951 LEYKTVGLAA CQEPALPSNS IKIGDRYMN DVLSFQCEPG YTLQGRSHIS	
	2001 CMPGTVRRWN YPSPLCIATC GGTLSLGGV ILSPGFPGSY PNNLDCTWRI	
45	2051 SLPIGYGAHI QFLNFSTEAN HDFLEIQNGP YHTSPMIGQF SGTDLPAALL	
	2101 STTHETLIHF YSDHSQNROG FKLAYQAYEL QNCPDPPPFQ NGYMINSDYS	
	2151 VGQVSFECY PGYILIGHPV LTCQHGINRN WNYPFPRCDA PCGYNVTSON	
	2201 GTIYSPGFPD EYPILKDCIW LITVPPGHGV YINFTLLQTE AVNDYIAVWD	
	2251 GPDQNSPOLG VFSGNTALET AYSSTNQVLL KEHSDFSNGG FFVLNFHGQL	
50	2301 IFTPLVKTEN SMWCLLQCCP TPCFQLKFLD SAEGVYDSFA LEASVSCGPF	
	2351 FV*	

SEQ ID NO:14

PROTEIN SEQUENCE 5R23V2

LOCUS 5R23V2.PRO 2307 AA PROT UPDATED 05/11/101

5 DEFINITION -
 ACCESSION -
 KEYWORDS -
 SOURCE -

10 FEATURES From To/Span Description
 Peptide 1 2307 851 to 7771 of 5R23V2 (translated)
 ORIGIN ?

1 MTAWRRFQSL LLLGLLVLC ARLLTAAKGQ NCGGLVQGPV GTIESPGFPH GYPNYANCTW
 61 IIITGERNRI QLSFHTFALE EDFDILSVYD GQPQOQNLKV RLSGFQLPSS IVSTGSILTL
 121 WFTTDFAVSA QGFKALYEVL PSHTCGNPGE ILKGVHLGTR FNIGDXIRYS CLPGYILEGH
 15 181 AILTCIVSPG NGASWDFPAP FCRAEGACGG TLRGTSSSSIS SPHFPSEYEN NADCTWTILA
 241 EPGDTIALVF TDFQLEEGYD FLEISGTEAP SIWLTGMNLP SPVISSKNWL RLHFTSDSNH
 301 RRRKFNAQFQ VKKAIELKSR GVKMLPSKDG SHKNSVLSQG GVALVSDMCP DPGIPENGRR
 361 AGSDFRVGAN VQFSCEDNYV LQGSKSITCQ RVTETLAAWS DHRPICRART CGSNLRGPSP
 421 VITSNPYPVQ YEDNAHCVVW ITTTPDPKVI KLAXEEFELE RGYDTLTVGD AGKVGDTRSV
 20 481 LXVLTGSSVP DLIVSMSNQW WLHLQSDDSI GSPGFKAIVQ EIEKGGCGDP GIPAYGKRTG
 541 SSFLHGDxLT FECPAAFELV GERVITCQON NQWSGNKPSK VFSCFFNFTA SSGIILSPNY
 601 PEEYGNNMNC VWLIIEEPGS RIHLIFNDFD VEPQFDFLAV KDDGISDITV LGTFSGNEVP
 661 SQLASSGHIV RLEFQSDHST TGRGXNITYT TFGQNECHDP GIPINGRRFG DRFLLGSSVS
 721 FRCDGDFVKT QGSESITCIL QDGNVWSSST VPRCEAPCGG HLTASSGVIL PPGWPGYYKD
 25 781 SLHCEWIEA KPGHSIKITF DRFQTEVNYD TLEVRDGPAS SSPLIGEYHG TQAPQFLIST
 841 GNFMYLFTT DNSRSSIGFL IHYESVTLES DSCLDPGIPV NGHRRHGGDFG IRSTVTFSKD
 901 PGYTLSDDEP LVCERNHQWN HALPSCDALC GGYIQGKSGT VLSPPGFDFY PNSLNCTWTI
 961 EVSHGKGVQM IFHTFHLESS HDYLLITEDG SFSEPVARLT GSVLPHTIKA GLXGNFTAQL
 1021 RFISDFSISY EGFNITFSEY DLEPCDDPGV PAFSRRIGFH FGVDGSLTFS CFLGYRLEGA
 1081 TKLTCLGGGR RVWSAPLPRC VAECGASVKG NEGTLSPNF PSNYDNNHEC IYKIETEAGK
 30 1141 GIHLRTSRFQ LFEGDTLKVY DGKDSRSSRPL GTFTKNELLG LILNSTSNHL WLEFNTNGSD
 1201 TDQGFQLTYT SFDLVKCEDP GIPNYGYRIR DEGHFTDTVV LYSCNPGYAM HGSNTLTCLS
 1261 GDRRVWDKPL PSCIAECGGQ IHAATSGRIL SPGYAPYDN NLHCTWIEA DPGKTISLHF
 1321 IVFDTMAHD ILKVWDGPVD SDILLKEWSG SALPEDIHST FNSLTLOFDS DFFISKSGFS
 35 1381 IQFSTSIAAT CNDPGMPQNG TRYGDSREAG DTVTFQCDPG YQLQGQAKIT CVQLNNRFFW
 1441 QPDPTCIAA CGGNLTGPAG VILSPNYPQ YPPGKECDWR VKVNPDFVIA LIFKSFNMEP
 1501 SYDFLHIYEG EDSNSPLIGS YQGSQAPERI ESSGNSLFLA FRSDASVGLS GFAIEFKEKP
 1561 REACDFPGNI MNGTRVGTDF KLGSTITYQC DSGYKILDFS SITCVIGADG KPSWDQVLPS
 1621 CNAPCGGQYT GSEGVVLSPN YPHNYTAGQI CLYSITVPKE FVVFGQFAYF QATALNDLAE
 40 1681 FDGTHAARL LSSLSGSHSG ETLPLATSNO ILLRFSAKSG ASARGHFVY QAVPRTSDTQ
 1741 CSSVPEPRYG RRGSEFSAG SIVRFECNPG YLLQGSTALH CQSVPNALAQ WNDTIPSCVV
 1801 PCSGNFTQRR GTILSPGYE PYGNLNCIW KIIIVTEGSGI QIQVISFATE QNWDLSLEIHD
 1861 GGDVTAPRLG SFGTTPVPA LNSTSNQLYL HFQSDISVAA AGFHLEYKTV GLAACQEPAL
 45 1921 PSNSIKIGDR YMVNDVLSFQ CEPGYTLQGR SHISCMPTV RRWNYPSPLC IATCGGTLST
 1981 LGGVILSPGF PGSYPNLDC TWRIISLPIGY GAHIQFLNFS TEANHDFLEI QNGPYHTSPM
 2041 IGQFSGTDLP AALLSTHET LIHFYSDSHQ NRQGFKLAYQ AXELQNCDDP PPFQNGYMIN
 2101 SDYSVGQSVS FECYPGYILI GHPVLTCQHG INRNWNPFP RCDAPCGYNV TSQNGTIYSP
 2161 GFPDEYPILK DCIWLITVPP GHGVYINFTL LQTEAVNDYI AVWDGPDQNS PQLGVFSGNT
 2221 ALETAYSSSTN QVLLKFHSDF SNGGFFVLNF HGQLIFTPLV KTENSMWCLL QCCPTPCFQL
 50 2281 KFLDSAEGVY DSFALEASVS CGEFFV*

SEQ ID NO:15

```

LOCUS       ;                               5R2_OC147 PROTEIN
5  LOCUS      TRANSLATIO   347 AA   PROT      UPDATED   05/11/101
   DEFINITION -
   ACCESSION  -
   KEYWORDS   -
   SOURCE     -
10  FEATURES   From To/Span   Description
     Peptide    1      347      851 to 1891 of 5r2_oc147 (translated)
   ORIGIN     ?
15           1 MTAWRRFQSL LLLLGLLVLC ARLLTAAKGQ NCGGLVQGNP GTIESPGFPH GYPNYANCTW
           61 IIITGERNRI QLSFHTFALE EDFDILSVYD GQPQOQNLKV RLSGFQLPSS IVSTGSILTL
           121 WFTTDFAVSA QGFKALYEV L PSHTCGNPGE ILKGVLHGTR FNIGDKIRYS CLPGYILEGH
           181 AILTCIVSPG NCASWDFPAP PCRAEGACGG TLRGTSSSIS SPHFPSEYEN NADCTWTILA
           241 EPGDTIALVF TDFOLEEGYD FLEISGTEAP SIWLTGMNLP SPVISSKNWL RLHFTSDSNH
           301 RRKGFNAQFQ VKKAIELKSR GVKMLPSKDG SHKNSVCESL SFLSED*

```

SEQ ID NO:16

5R2_AW PROTEIN

LOCUS 5R2_AW_PRO 372 AA PROT UPDATED 05/11/101
5 DEFINITION -
ACCESSION -
KEYWORDS -
SOURCE -
10 FEATURES From To/Span Description
Peptide 1 372 851 to 1966 of 5r2_aw (translated)
ORIGIN ?
1 MTAWRRFQSL LLLGLLVLC ARLLTAAGQ NCGGLVQGP N GTIESPGFPH GYPNYANCTW
61 IIITGERNRI QLSFHTPALE EDFDILSVYD GQPQGNLKV RLSGFQLPSS IVSTGSILTL
121 WFTTDFAVSA QGFKALYEV L PSHTCGNPGE ILKGV LHGTR FNIGDKIRYS CLPGYILEGH
15 181 AILTCIVSPG NGASWDFPAP FCRAEGACGG TLRGTSSSIS SPHFPSEYEN NADCTWTILA
241 EPGDTIALVF TDFQLEEGYD FLEISGTEAP SIWLTGMNLP SPVISSKNWL RLHFTSDSNH
301 RRKGFNAQFQ VKKAIELKSR GVKMLPSKDG SHKNSVWHQQ EFSKCRKKKR EIMTRNGRIS
361 LTASGNLQFD N*
//

20

1/3

FIGURE 1.




FIGURE 2





FIGURE 3



INTERNATIONAL SEARCH REPORT

National Application No

PCT/GB 01/02240

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 C12N15/12 C12N15/85 C12N15/86 C07K14/47 C07K16/18
C12Q1/68 G01N33/577 A61K31/713 A61K38/18 A01K67/027

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 C12N C07K C12Q G01N A61K A01K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

WPI Data, PAJ, CAB Data, STRAND, BIOSIS, EPO-Internal

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	<p>DATABASE EMBL SEQUENCE DATABASE 'Online! Hinxton, UK; 21 October 1999 (1999-10-21) NCI-CGAP: "xd71c12.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2603062 3' mRNA sequence; EST" XP002175139 EMBL:AW104197, Comparison of Accession no. AW104197 and SEQ ID No. 8; abstract</p> <p style="text-align: center;">--- -/--</p>	1-6

☒ Further documents are listed in the continuation of box C.☐ Patent family members are listed in annex.

* Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
- *Z* document member of the same patent family

Date of the actual completion of the international search

17 August 2001

Date of mailing of the international search report

29/08/2001

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Hornig, H

INTERNATIONAL SEARCH REPORT

Inventor's Application No

PCT/GB 01/02240

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	<p>DATABASE EMBL SEQUENCE DATABASE 'Online! Hinxton, UK; 3 March 2000 (2000-03-03) L. HILLIER ET AL.: "zj96c05.s1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone ; EST" XP002175140 EMBL:AA705177, Comparison of Accession no. AA705177 and SEQ ID No.2; abstract</p>	1-6
X	<p>DATABASE EMBL SEQUENCE DATABASE 'Online! Hinxton, UK; 2 January 2000 (2000-01-02) K. KYUNG ET AL.: "Homo sapiens BAC clone RP11-221H10 from 8, complete sequence; HTG" XP002175141 EMBL:AC019176, Comparison of Accession no. AC019176 from position 13832-14773 and SEQ ID No. 6; abstract</p>	1-6
A	<p>SUN PAUL C ET AL: "Homozygous deletions define a region of 8p23.2 containing a putative tumor suppressor gene." GENOMICS, vol. 62, no. 2, 1 December 1999 (1999-12-01), pages 184-188, XP002175136 ISSN: 0888-7543 cited in the application the whole document</p>	
A	<p>ISHWAD CHANDRAMOHAN S ET AL: "Frequent allelic loss and homozygous deletion in chromosome band 8p23 in oral cancer." INTERNATIONAL JOURNAL OF CANCER, vol. 80, no. 1, 5 January 1999 (1999-01-05), pages 25-31, XP002175137 ISSN: 0020-7136 the whole document</p>	
A	<p>SUNWOO JOHN-B ET AL: "Localization of a putative tumor suppressor gene in the sub-telomeric region of chromosome 8p." ONCOGENE, vol. 18, no. 16, 22 April 1999 (1999-04-22), pages 2651-2655, XP001015856 ISSN: 0950-9232 the whole document</p>	

-/-

INTERNATIONAL SEARCH REPORT

International Application No

PCT/GB 01/02240

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
T	SUN PAUL C ET AL: "Transcript map of the 8p23 putative tumor suppressor region." GENOMICS, vol. 75, no. 1-3, July 2001 (2001-07), pages 17-25, XP002175138 ISSN: 0888-7543 the whole document -----	

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

Continuation of Box I.1

Although claim 20 is directed to a method of treatment of the human/animal body, the search has been carried out and based on the alleged effects of the compound/composition.

Although claim(s) 18 and 19 (as far as in vivo methods are concerned) are directed to a diagnostic method practised on the human/animal body, the search has been carried out and based on the alleged effects of the compound/composition.